

BIOLOGICAL JOURNAL

of the Linnean Society

CABI BIOSCIENCE
EGHAM LIBRARY

VOLUME 57

NUMBERS 1-4

PAGES 1-410

THE LINNEAN SOCIETY OF LONDON
BURLINGTON HOUSE, PICCADILLY, LONDON W1V 0LQ
1997

Dates of publication of the numbers included in Vol. 57:

No. 1, pp. 1–87, 5 March 1996

No. 2, pp. 89–195, 16 April 1996

No. 3, pp. 197–291, 18 April 1996

No. 4, pp. 293–410, 1 May 1996

CONTENTS

	Pages
ALLIBONE, R. M., CROWL, T. A., HOLMES, J. M., KING, T. M., McDOWALL, R. M., TOWNSEND, C. R. and WALLIS, G. P., Isozyme analysis of <i>Galaxias</i> species (Teleostei: Galaxiidae) from the Taieri River, South Island, New Zealand: a species complex revealed	107-127
ANDERSSON, S., Floral reduction in <i>Crepis tectorum</i> (Asteraceae): tradeoffs and dominance relationships	59-68
CARVALHO, G. R., SHAW, P. W., HAUSER, L., SEGHERS, B. H. and MAGURRAN, A. E., Artificial introductions, evolutionary change and population differentiation in Trinidadian guppies (<i>Poecilia reticulata</i> : Poeciliidae)	219-234
DUDLEY, R. and ADLER, G. H., Biogeography of milkweed butterflies (Nymphalidae: Danaeinae) and mimetic patterns on tropical Pacific archipelagos	317-326
EVANS, M. R., Nectar and flower production of <i>Lobelia telekii</i> inflorescences, and their influence on territorial behaviour of the scarlet-tufted malachite sunbird (<i>Nectarinia johnstoni</i>)	89-105
FORTEY, R. A., BRIGGS, D. E. G. and WILLS, M. A., The Cambrian evolutionary "explosion": decoupling cladogenesis from morphological disparity	13-33
HAZEL, W. N. and WEST, D. A., Pupation site preference and environmentally cued pupal colour dimorphism in the swallowtail butterfly <i>Papilio polyxenes</i> Fabr. (Lepidoptera: Papilionidae)	81-87
HITCHINGS, S. P. and BEEBEE, T. J. C., Persistence of British natterjack toad <i>Bufo calamita</i> Laurenti (Anura: Bufonidae) populations despite low genetic diversity	69-80
JENNIONS, M. D. and BACKWELL, P. R. Y., Residency and size affect fight duration and outcome in the fiddler crab <i>Uca annulipes</i>	293-306
LEGGETT, M.C., WILCOCKSON, R. W., DAY, T. H., PHILLIPS, D. S. and ARTHUR, W., The genetic effects of competition in seaweed flies	1-11
MÜLLER, A., Convergent evolution of morphological specializations in Central European bee and honey wasp species as an adaptation to the uptake of pollen from nototribic flowers (Hymenoptera, Apoidea and Masaridae)	235-252
NIELSEN, C., SCHARFF, N. and EIBYE-JACOBSEN, D., Cladistic analyses of the animal kingdom	385-410
OTTO, S. P. and MARKS, J. C., Mating systems and the evolutionary transition between haploidy and diploidy	197-218
PYRON, M., Sexual size dimorphism and phylogeny in North American minnows	327-341
RUEDI, M., COURVOISIER, C., VOGEL, P. and CATZEFLIS, F. M., Genetic differentiation and zoogeography of Asian <i>Suncus murinus</i> (Mammalia: Soricidae)	307-316
SAITOH, S. and KATAKURA, H., Strictly parapatric distribution of flightless leaf beetles of the <i>Chrysolina angusticollis</i> species complex (Coleoptera, Chrysomelidae) in the vicinity of Sapporo, northern Japan	371-384
SAVAGE, J. M. and SLOWINSKI, J. R., Evolution of coloration, urotomy and coral snake mimicry in the snake genus <i>Scaphiodontophis</i> (Serpentes: Colubridae)	129-195
SAVOLAINEN, R. and DESLIPPE, R. J., Facultative and obligate slavery in formicine ants: frequency of slavery, and proportion and size of slaves	47-58
TSUKAGOSHI, A. and KAMIYA, T., Heterochrony of the ostracod hingement and its significance for taxonomy	343-370
TULLBERG, B. S. and HUNTER, A. F., Evolution of larval gregariousness in relation to repellent defences and warning coloration in tree-feeding Macrolepidoptera: a phylogenetic analysis based on independent contrasts	253-276
WHITFIELD, D. P. and TOMKOVITCH, P. S., Mating system and timing of breeding in Holarctic waders	277-290

- WILLIAMS, T. and POLAZEK, A., A re-examination of host relations in the Aphelinidae
(Hymenoptera: Chalcidoidea) 35-46

BOOK REVIEWS

- COLSTAN, A. and PERRING, F., *Insects, plants and set-aside* (S. L. Jury) 291
VOGEL, S., *Life in Moving Fluids. The Physical Biology of Flow* (A. A. Savage) 291

INDEX

Compiled by Stanley Thorley

Abbreviations:

App.—Appendix

Fig.—Figure

n.—note

Tab.—Table

*—signifies a keyword

A patterns: coral snake mimics 129–130, 141–143 & Fig. 5, 146–148, 151–153, 166, 168–169, 173–175

variant **AI** 143, 148, 162

Ablabes: former name of *Scaphiodontophis* 133

A. annulatus: *nomen nudum* 133, 149

Ablerus (Aphelinidae): sex-related differences 36

Abraxini macrolepidopteran larvae 273 App.

Abraxus spp. 273 App.

*abundance: formicine slave-making ants 47

Acanthocephala

cladistic analyses of Animalia 390 Fig. 1, 392 Fig. 2, 394–395 & Fig. 3, 401, 403, 406–408 App. 1

'explosion scenario' 25 Fig. 4C

Acanthochitonida: Testaria (Adenopoda: molluscan clade) 21 Fig. 3

Acais viretata: macrolepidopteran larvae 274 App.

ACCTTRAN: cladistic analyses of Animalia 395, 403

Acetabularia mediterranea: Dasycladales clade 212 Tab. 5

acetylcholinesterase (AChE): *Bufo calamita* population genetics 73–74

Acinos (Lamiaceae): nototribic flowers

A. alpina 238 Tab. 1

A. arvensis 238 Tab. 1

aconitase (ACON: E. C. No. 4.2.1.3, A, 1): *Bufo calamita* population genetics 73

acritarchs, Lower Cambrian 16

Acronicta: macrolepidopteran larvae

A. numicis 266 & Fig. 6

A. spp. 266 Fig. 6, 275 App.

Acronictinae: macrolepidopteran larvae 266 & Fig. 6, 275 App.

see also *Acronicta* and *Moma*

Acrosiphonia (Ulotrichales clade): *A. arcta* and *A. spinecens* 212 Tab. 5

Acrotretida: Lingulatea (Brachiopoda) 21 Fig. 3

Actias luna: macrolepidopteran larvae 261 Fig. 2

*adaptation: evolutionary genetics of guppies 219–221, 231–232

*adaptive radiation: Cambrian evolutionary explosion 13, 16, 22, 26–27, 29

adelphoparasitoids (heteromomous hyperparasitoids): host relations in the Aphelinidae 35

adenosine deaminase (ADA: E. C. No. 3.5.4.4)

Bufo calamita population genetics 74

Suncus murinus: *Ada* 310–312 & Tab. 2

adenylate kinase (AK: E. C. No. 2.7.4.3)

Bufo calamita population genetics 74

Suncus murinus: *Ak-1* & *Ak-2* 310–312 & Tab. 2

adults

coral snake mimics 145–148, 156 Tab. 4, 166, 184

gregariousness in Macrolepidoptera 257, 268

ostracod hingements 344, 346–350 & Figs 1 & 3,

352–368 & Figs 6–18

Africa

Gondwanan distribution 18

Mount Kenya: sunbird territoriality and *Lobelia* 89–92 & Fig. 1, 102

*afro-alpine: sunbird territoriality and *Lobelia* 89–90, 92, 99–101

aggression: sunbird territoriality and *Lobelia* 92, 94, 99–101 & Fig. 8 & Tab. 4

intrusions 89–92, 99, 103–104

Agosia: sexual size dimorphism in minnows 332 Fig. 2

A. chrysogaster 330–331 Tab. 1 & Fig. 1, 335–337 Figs 4–6

Agrochola spp.: macrolepidopteran larvae 275 App.

Ajuga chamaepitys (Lamiaceae): nototribic flowers 238 Tab. 1

Alaska: wader mating systems 280–281 Tabs 1–2, 285 Tab. 6

Alberta (Elk Island National Park): formicine slave-making ants 49–50

albumin (ALB): *Suncus murinus* (*Alb*) 310, 312 Tab. 2

Albumops: sexual size dimorphism in minnows 331–332 & Fig. 2

alcohol dehydrogenase (ADH: E. C. No. 1.1.1.1)

Bufo calamita population genetics 74

seaweed flies: *Adh* 1, 3–5, 7–8 & Tab. 2, 10

Suncus murinus: *Adh* 310, 312 Tab. 2

Aleyrodidae (whiteflies): host relations in the Aphelinidae 35–37, 40–42

algae

localities for ostracod samples 345

ploidy evolution 200–201, 211–213 & Tab. 5

see also Chlorophyta and Rhodophyta

- algorithms (zoogeography of *Suncus murinus*): Wagner-distance and neighbour-joining 311, 313 Fig. 2
- alleles
- Bufo calamita* population genetics 69, 72, 75–78 & Tab. 3, 80 App.
 - floral reduction in *Crepis tectorum* 59–60, 66
 - Suncus*: comparison with *Crocidura olivieri* 311–312 & Tab. 2, 314
- alloparasitism: host relations in the Aphelinidae 40–41
- alloparasitoids: host relations in the Aphelinidae 37, 41, 43
- obligate 41
 - see also *Coccophagus* and *Lousburyia*
- *allozymes: *Bufo calamita* population genetics 69–70, 72–73, 75, 77–78
- *allozymes: evolutionary genetics of guppies 219–221, 223, 226–228, 231–232
- *allozymes: zoogeography of *Suncus murinus* 307, 309, 313–314
- America
- Central
 - coral snake mimics 129, 193–194 App. Figs 18–19
 - lower (southern) 131–132, 145 Fig. 7, 147–148, 171–172, 180, 189
 - upper (northern) 131–132, 152–153, 157, 161, 166–168 & Fig. 0, 172
 - see also Belize, Costa Rica, El Salvador, Guatemala, Honduras, Nicaragua, Panama
 - Pectinapis* (Anthophoridae): Mexican bees 249
 - Ulanthidium*: subgenus of *Trachusa* (Megachilidae) 249
- North
- formicine slave-making ants 48–49, 55–56
 - host relations in the Aphelinidae 42–43
 - macrolepidopteran larvae 257
 - sexual size dimorphism (SSD) in minnows 327–329, 338–339
 - see also Canada and United States
- North and South
- coral snake mimics: taxonomic review 150–154
 - Mystacanthophora*: subgenus of *Anthophora* 249
 - New World Colubridae 135
- South: Gondwanan distribution 18
- amphibians
- Bufo calamita* population genetics 69, 77
 - sexual size dimorphism 328
- Amphipyra* spp.: macrolepidopteran larvae 275 App.
- Amphipyridinae: macrolepidopteran larvae 275 App.
- see also Apameini and Amphipyriini
- Amphipyriini: macrolepidopteran larvae 275 App.
- see also *Amphipyra*, *Cosmia* and *Dicycla*
- amphitoky: Aphelinidae 36
- Anadyomene* (Cladophorales/Siphonocladales clade) 211 Fig. 6
- analyses
- biogeography of Pacific milkweed butterflies 317–324 & Tab. 2
 - Bufo calamita* population genetics 72–76 & Tab. 5
 - Cambrian evolutionary explosion 13–14, 17–20, 22, 28
 - cladistic analyses of Animalia 385–410 & Figs 1–3 & Apps 1–2
 - see also Clados; version 1.2: 386
- convergent evolution of morphological specializations 237, 239
- coral snake mimics 130, 155–164 & Tabs 4–7, 167, 176, 177–178 & Fig. 15
- evolutionary genetics of guppies 219
- see also Bonferroni correction, bootstrapping, Reynold's genetic distances and Wright's *F* statistic
- fiddler crabs fighting 296, 304
- see also chi-square and two-tailed tests
- floral reduction in *Crepis tectorum* 61–62
- see also covariation, *F*-tests, means and *t*-tests
- formicine slave-making ants 50–51
- genetic effects of competition 3, 5, 7–8
- gregariousness in macrolepidopteran larvae: contrast 253–256, 258–269 & Figs 1–7 & Tabs 1–2
- parapatric distribution in *Chrysolina* 371–373, 375–377 & Tab. 2 & Fig. 3, 379 & Fig. 5, 381 & Fig. 7, 383
- see also principal components
- ploidy evolution 205–206, 215–218 Apps 1–2
- sexual size dimorphism in minnows 328–332 & Tab. 1, 334, 338–340
- see also Maddison's changes
- sunbird territoriality and *Lobelia* 92, 94, 98
- see also Spearman's rank correlation and Wilcoxon signed ranks
- wader mating systems 279–280, 286
- zoogeography of *Suncus murinus* 308, 311–312
- see also ANOVA, allozymes, arcsine transformations, coefficients, computer programs, correlations, Felsenstein, Fisher's, *F*-statistics, Hardy Weinberg, MacClade, Mann-Whitney, sign, Tukey and regression analyses
- Aneristus* (synonym): Aphelinidae 36
- *Animalia: cladistic analyses 385–410 & Figs 1–3 & Apps 1–2
- animals, coelomic: Cambrian evolutionary explosion 16–17
- Anisota*: macrolepidopteran larvae
- A. finlaysoni* 261 Fig. 2
 - A. manitobensis* 261 Fig. 2
 - A. senatoria* 261 Fig. 2
 - A. spp.* 273 App.
 - A. stigma-stigma* 261 Fig. 2
 - A. virginienensis* 261 Fig. 2
 - Anisota-Dryocampa* 260
- Annelida
- Cambrian evolutionary explosion 18, 24–25 & Figs 4B & 4C
 - Ecdiacaran genera 15–16
 - see also *Dickinsonia* and *Spriggina*
 - cladistic analyses of Animalia 390 Fig. 1, 392 Fig. 2, 394 Fig. 3, 396, 398–400, 406–408 App. 1
- Anomalocaris*: bizarre arthropod 19
- Anomis texana* (noctuids: eggs): *Encarsia* endoparasitoids 42
- ANOVA
- fiddler crabs fighting 298
 - formicine slave-making ants 51–52 & Fig. 1, 55 Fig. 4
- Antarctica: Gondwanan distribution 18
- Antheraea polyphemus*: macrolepidopteran larvae 261 Fig. 2

- anthers (nototribic flowers): convergent evolution 235–236, 244–245 & Fig. 21, 247–250
- **Anthidium* (*Anthidium*): convergent evolution of morphological specializations 235, 238–239 & Tab. 1, 244
- A. cingulatum* 239
- A. florentinum* 239
- A. loti* 239
- A. manicatum* 238–240 & Tab. 1 & Figs 8–9, 242–243 & Figs 18 & 20, 245 Fig. 21
- A. oblongatum* 240 Fig. 7, 242 & Fig. 19, 248
- A. septemspinatum* 239
- A. species* 235
- **Anthophora*: convergent evolution of morphological specializations 235
- A. (Erythrosia) andrenoides* 235, 238–240 & Tab. 1 & Figs 3 & 6, 242–244 & Fig. 20, 246, 248
- **Anthophora*: convergent evolution of morphological specializations 235
- A. (Clisodon) furcata* 235, 238–239 & Tab. 1, 241–245 & Figs 14–15 & 20
- A. (Dasymegilla) quadrimaculata* 237, 241–242 & Fig. 16, 246–247 & Fig. 22
- A. (Mystacanthophora) borealis* 235, 237, 239, 242
- Mystacanthophora* (subgenus) 249
- Anthophoridae: convergent evolution (Hymenoptera) 237–238 & Tab. 1, 249
- Antirrhineae (Scrophulariaceae): nototribic flowers 244
- Antirrhinum majus* (Scrophulariaceae): nototribic flowers 238 Tab. 1
- ants
- formicine: slave-making 47–57
- macrolepidopteran larval defences 267 Fig. 7
- Anura: *Bufo calamita* population genetics 69, 75 Tab. 5, 77
- Apameini: macrolepidopteran larvae 275 App.
- see also *Enargia*, *Hyppa*, *Ipimorpha* and *Parastichtis*
- Apatura* spp.: macrolepidopteran larvae 267 Fig. 7
- Apaturinae: macrolepidopteran larvae 268, 276 App.
- see also *Asterocampa*
- Aphelinidae (Hymenoptera: Chalcidoidea): host relations 35–43
- see also
- Ablerus*, *Coccobius*, *Coccophagoides*, *Coccophagus*, *Encarsia*, *Lounsburyia* and *Pteroptrix*
- synonyms: *Aneristus*, *Azotus*, *Euxanthellus*, *Physcus*, *Prococcophagus* and *Prospaltella*
- Aphytis*: host relations in the Aphelinidae 41
- A. paramaculicornis* 41
- Aplacophora: Cambrian evolutionary explosion 21
- Fig. 3, 27–28
- Aploegmentaria: Adenopoda (molluscan clade) 21 Fig. 3
- Apocheima* spp.: macrolepidopteran larvae 273 App.
- Apoidea (bees): convergent evolution 235–236, 239, 242, 244, 245–247 & Fig. 21
- Apidae 237, 239
- Aporia*: macrolepidopteran larvae
- A. crataegi* 266–267 & Fig. 7, 276 App.
- Aporia-Neophasia* 268
- Aporophyla luteolata*: macrolepidopteran larvae 275 App.
- *aposematism: gregariousness in macrolepidopteran larvae 253–254
- aposematism: snake coloration, urotomy and mimicry 130, 185–189
- arachnomorphs ('trilobite' larva of *Limulus*) 29
- Archeriinae: macrolepidopteran larvae 273 App.
- Archeris* spp. 273 App.
- *archipelagos: biogeography of Pacific milkweed butterflies 317–326 & Figs 1–2 & Tabs 1–4
- arcsine transformations
- carapace widths 296, 298 Fig. 2
- pupation behaviour and pupal colour in swallowtails 84 Figs 1–2
- Arctia carya*: macrolepidopteran larvae 265 Fig. 5, 275 App.
- Arctiidae: macrolepidopteran larvae 258, 260, 265–266 & Fig. 5, 274–275 App.
- see also Arctiinae and *Eilema-Hyphantria*
- Arctiinae: macrolepidopteran larvae 274–275 App.
- see also Arctiini, Callimorphini and Phaegopterini
- Arctiini: macrolepidopteran larvae 274–275 App.
- see also *Arctia*, *Hyphantria*, *Platartica* and *Spilosoma*
- Arenaria*: wader mating systems
- A. interpres* 281–282 Tab. 2, 283 Tab. 4, 285 Tab. 6
- A. melanocephala* 281 Tab. 2, 283 Tab. 4
- Aripo river, Trinidad: guppies (*Poecilia reticulata*) 222
- Fig. 1, 230 Fig. 3
- Arkarua* (echinoderm): Ediacaran genera 15–16, 22
- arrhenotoky: Aphelinidae 36
- Arthropoda
- Cambrian evolutionary explosion 14–15, 17–20 & Figs 1–2, 22–23, 25–27, 29–30
- see also *Anomalocaris*, *Diplichnites*, *Naraoia*, *Parvancorina*, *Praecambridium*
- cladistic analyses of Animalia 390 Fig. 1, 392 Fig. 2, 394 Fig. 3, 396, 399–400, 403, 406–408 App. 1
- Articulata: Brachiopoda (Cambrian appearances) 21
- Fig. 3
- *Articulata: cladistic analyses of Animalia 385, 389, 394–395 & Fig. 3, 400, 403
- artificial introductions: evolutionary genetics of guppies 219–225 & Fig. 1 & Tabs 1–2, 228–230, 232
- see also Endler's, Haskins' and Kenny's introductions
- arylesterases: *Bufo calamita* population genetics 73
- Aschelminthes: Cambrian evolutionary explosion 24
- Fig. 4B
- *Aschelminthes: cladistic analyses of Animalia 385, 393–396 & Fig. 3, 398–401, 403
- *asexuality: ploidy evolution 197, 203–206 & Figs 1 & 3, 208 & Tab. 3, 211–213, 217–218 App. 2
- Asia
- coral snake mimics 131, 134, 149–150
- Southeast
- heterochrony of the ostracod hingement 344
- zoogeography of *Suncus murinus* 307–309 & Fig. 1, 313–314
- aspartate aminotransferase (AAT: E. C. No. 2.6.1.1)
- Bufo calamita* population genetics 74
- guppies (*Poecilia reticulata*): AAT* 224–225 & Tab. 1, 227–228
- aspen parkland (*Populus tremuloides*): Elk Island National Park, Alberta, Canada 49
- *assortative mating: ploidy evolution 197, 200, 202, 205–208 & Fig. 4 & Tab. 3, 212–213, 215 App. 1
- Aster glehnii*: hosts of *Chrysolina angusticollis* complex 372–373, 381
- Asteraceae

- floral reduction in *Crepis tectorum* 59–61
 pollen loads (Central European bees) 243 Fig. 20
 (AST), 246 Fig. 22
- Asterocampa*: macrolepidopteran larvae
A. celtis 267 Fig. 7
A. clyton 267–268 & Fig. 7
A. spp. 276 App.
- Asthena albulata*: macrolepidopteran larvae 274 App.
- Asthenini: macrolepidopteran larvae 274 App.
 see also *Asthena*, *Euchoeca* and *Hydrelia*
- Atdababian stage: Cambrian evolutionary explosion
 16–17, 21
- Atlantic slope: Central American coral snake mimics
 analysis of variation 155, 157–158, 160, 162
 behavioural ecology 186, 188–189
 characters 144–145
 discussion 165–166, 168–169 & Fig. 9, 172–173
 origins of colour pattern components 177
- Atractus*: coral snake coloration 174
- Attacini: macrolepidopteran larvae 273 App.
 see also *Callasoma* and *Hyalophora*
- Australia; Ediacaran biota: late Vendian 15
- *autogamy: floral reduction in *Crepis tectorum* 59–62, 65
- Automeris io*: macrolepidopteran larvae 261 Fig. 2, 273 App.
- autoparasitism: host relations in the Aphelinidae 35
 obligate autoparasitism 40–41
- *autoparasitoids (heteronomous hyperparasitoids): host
 relations in the Aphelinidae 35, 43
 facultative autoparasitoids 37, 40–41
 obligate autoparasitoids 37, 40–41, 43
- Avallanchi (Nilgiri Hills), Southern India:
 zoogeography of *Suncus murinus* 310–311
- Azotus*: synonym of *Ablerus* 37
- balanoglossids: relationship to pterobranchs 28
- Ballota* (Lamiaceae): nototribic flowers
B. nigra 238 Tab. 1
B. pseudodictamnus 238 Tab. 1, 249
- Baltic: floral reduction in *Crepis tectorum* 61
 see also Finland, Gotland, Öland and Sweden
- *basal Cambrian evolutionary explosion 13–16, 21,
 26–27, 29, 30 Fig. 5
 see also Cambrian
- Batesian mimicry
 coral snakes 186
 gregariousness in macrolepidopteran larvae 254,
 257, 268
- Batophora*: Dasycladales clade 211 Fig. 6
- Batrachoseps* (salamanders): urotomy 182
- Bedfordshire: *Bufo calamita* population genetics 71–72
 & Fig. 1
- bees (Apoidea): convergent evolution 235–236, 239,
 242, 242, 245–247 & Fig. 21
- beetles: flightless leaf (*Chrysolina angusticollis*): parapatric
 distribution 371–383 & Figs 1–7 & Tabs 1–3
- *behaviour: coral snake mimics 130, 132, 180–188 &
 Fig. 8 & Figs 16–17
- behaviour, schooling: guppies (*Poecilia reticulata*)
 229–231 & Fig. 3
- Belize: coral snake mimics 129, 133, 151–153, 193
 App
 analysis of variation 155, 157–158, 160, 162
 behavioural ecology 187
 discussion 165, 168–169 & Fig. 9, 175
- Guatemala, Belize and Honduras (GBH): Atlantic
 slope 165–169, 172, 175
 origins of colour pattern components 177
- benthos: early trilobite history 17
- Betula papyrifera* (white birch): formicine slave-making
 ants 49
- Bilateria: cladistic analyses of Animalia 389, 390 Fig.
 1, 393–394 & Fig. 3, 397–400, 402–403
- biogeography: Pacific milkweed butterflies 317–326 &
 Figs 1–2 & Tabs 1–4
- biology
 pollination: sunbird territoriality and *Lobelia* 97
 reproduction: host relations in the Aphelinidae
 35–37, 43
 anti-biotic treatment 40
 biological control 36, 39, 41
- BIOSYS-1
Bufo calamita population genetics 73
 evolutionary genetics of guppies 223
- birch, white (*Betula papyrifera*): formicine slave-making
 ants 49
- birds
 Holarctic: mating systems 278, 283 Tab. 4, 287
 see also Alaska, Canada, Greenland, Iceland,
 Lapland, Netherlands, Norway, Scotland and
 Siberia
 patterns of coral snake mimics 186–187
 kiskadees and motmots 185–186
 predators of butterflies 325
 sexual size dimorphism 328
 see also hummingbirds, nuthatches and sunbirds
- Bismarks: biogeography of Pacific milkweed butterflies
 317–323 & Tabs 1–4
- bison grazing: Elk Island National Park: formicine
 slave-making ants 49
- Bistonini: macrolepidopteran larvae 273 App.
 see also *Apocheima*, *Erannis*, *Lycia*, and *Phygalia*
- Bivalvia: conchiferan clade 21 Fig. 3
- body
 body and tail coloration: *Scaphiodontophis* 130,
 157–161 & Tabs 5–6, 189
 dorsal and tail 137–141 & Figs 1–4
 plans: Cambrian evolutionary explosion 13–15
 size: fiddler crabs fighting 293–303
- Bolitoglossa* (salamanders): urotomy 182
- Bombus* (Apidae): flower-visiting female bees
B. (Bombus) terrestris 237, 239, 247
B. (Thoracobombus) pascuorum 237, 239, 247
- Bombycoidea: macrolepidopteran larvae 257, 260–262
 & Fig. 2 & Tabs 1–2
 see also Endromiidae, Lasiocampidae, Saturniidae
 and Sphingidae
- Bonferroni corrections (Hardy Weinberg test):
 evolutionary genetics of guppies 223, 225–227
- Book Reviews
Insects, plants and set-aside, edited by Adrian Colstan
 and Franklyn Perring. (BSBI Conference Report
 No. 23). (S. L. Jury) 291
Life in Moving Fluids. The Physical Biology of Flora, by
 Stephen Vogel. 2nd Edition. (A. A. Savage) 291
- bootstrapping: evolutionary genetics of guppies 223,
 226 Fig. 2
- Boraginaceae: pollen loads (Central European bees)
 243 Fig. 20 (BOR), 246 Fig. 22

- Botomian (=Qiongzhusian) stage: basal Cambrian appearances 16
 boundaries: parapatric distribution in *Chrysolina* 371–372, 377–383 & Fig. 4 & Tab. 3
Brachionycha sphinx: macrolepidopteran larvae 275 App.
 Brachiopoda
 Cambrian evolutionary explosion 16, 21–26 & Figs 3–4B & 4C, 28
 pre-brachiopods 22
 cladistic analyses of Animalia 387–388, 390 Fig. 1, 392 Fig. 2, 394–396 & Fig. 3, 398, 401–402, 406–408 App. 1
Brachylomia spp.: macrolepidopteran larvae 275 App.
 bracts, *Lobelia*: sunbird territoriality 89–90, 92–93, 95, 97, 101
 Branchiura: carapace development 344
 Brassicaceae: pollen loads (Central European bees) 246 Fig. 22 (BRA)
 Brastagi, Northern Sumatra: zoogeography of *Suncus murinus* 308–309 & Fig. 1 & Tab. 1
 Brazil: *Simophis* (colubrid snakes) 176
 Britain
 Bufo calamita population genetics 69–72, 75–78
 macrolepidopteran larvae 257
 see also England and Scotland
 Bryopsidae clade: ploidy evolution 210
Bryopsisidella (Caulerpales clade): *B. neglecta* and *B. ostreobiformis* 212 Tab. 5
Bryopsis (Caulerpales clade): ploidy evolution 211 Fig. 6
 B. plumosa 212 Tab. 5
 Bryozoa
 cladistic analyses of Animalia 389, 390 Fig. 1, 396, 400, 403
 ‘explosion scenario’ 25 Fig. 4C, 28
 **Bufo calamita*: population genetics 69–77 & Fig. 1 & Tabs 1–5
 BIOSYS-1: version 1.7: 73
 Bufo species 76 Tab. 5
 Bufonidae 69
 Burgess Shale fossils: Washington D.C. 15, 17, 19, 22
 see also *Pikaia* and Uniramia
Burgessia: Ediacaran assembly 20
 burrow owners: fiddler crabs fighting 293–300 & Figs 1–3 & Tabs 1–2, 302–303
 butterflies
 distribution: *Danaus plexippus* (monarch butterflies) 319
 gregariousness in macrolepidopteran larvae 254–255, 268–269
 pupation behaviour and pupal colour in swallowtails 81–86 & Tab. 1 7 Figs 1–2
 *butterflies, Pacific milkweed: biogeography 317–326 & Figs 1–2 & Tabs 1–4
 Euploea (major danaine genus): distribution 321
 non-danaines 317, 319–321, 323 Fig. 1
 see also *Danaeus*
 butyrylcholinesterase (BuChE: E. C. No. 3.1.1.8 form):
 Bufo calamita population genetics 73–75, 77
 *buzzing: convergent evolution of morphological specializations 235, 238 Tab. 1, 244, 247–249

Cacalia hastata: hosts of *Chrysolina angusticollis* complex 372–373, 380–381
Calamintha nepeta (Lamiaceae): nototribic flowers 238 Tab. 1
 Calciata: Brachiopoda (Cambrian appearances) 21–22 & Fig. 3
Calidris: wader mating systems 279–282 & Tabs 1–3, 285–286 & Tab. 5
 C. alba 280–281 Tabs 1–2, 283–285 & Tabs 4–6
 C. alpina 280–285 Tabs 1–2 & 4–6
 C. bairdii 280–285 Tabs 1–2 & 4–6
 C. canutus 280–281 Tabs 1–2, 283 Tab. 4, 285 Tab. 6
 C. ferruginea 280–285 & Tabs 1–2 & 4–6
 C. fuscicollis 280–281 Tabs 1–2, 283–285 Tabs 4–6
 C. himantopus 280–281 Tabs 1–2, 283–285 Tabs 4–6
 C. maritima 280–281 Tabs 1–2, 283 Tab. 4, 285 Tab. 6
 C. mauri 281–284 Tabs 2 & 4–5
 C. melanotos 280–281 Tabs 1–2, 283–285 Tabs 4–6
 C. minuta 280–285 Tabs 1–2 & 4–6
 C. ptilocnemis 280 Tab. 1, 282–283 Tabs 2 & 4
 C. pusilla 280–281 Tabs 1–2, 283–285 Tabs 4–6
 C. ruficollis 280 Tab. 1, 282–285 & Tabs 2 & 4–5
 C. temminckii 280–285 & Tabs 1–2 & 4–6
Callavia: Cambrian trilobites 18 Fig. 1
 Callimorphini: macrolepidopteran larvae 274 App.
 Haploa confusa 274 App.
Callistocythere: heterochrony of the ostracod hingement 356–357
 C. japonica 348 Fig. 2, 351 Fig. 5, 356–357, 364 Fig. 16
Callitarea pudibunda: macrolepidopteran larvae 265 Fig. 5, 275 App.
Callosamia promethea: macrolepidopteran larvae 261 Fig. 2, 273 App.
Calopteryx maculata (damselflies): fighting 301–302
 Cambrian evolutionary explosion 13–30 & Figs 1 & 3–4
 Lower Cambrian 15–16, 19–20 & Fig. 2, 22–23, 29–30 & Fig. 5
 Middle Cambrian 19, 22
 see also basal and PreCambrian
Campaea margaritata: macrolepidopteran larvae 273 App.
 Campanulaceae: pollen loads (Central European bees) 243 Fig. 20 (CAM)
 Campeini: macrolepidopteran larvae 273 App.
 see also *Campaea* and *Hylaea*
Campostoma: sexual size dimorphism in minnows 332 Fig. 2
 C. anomalum 330–331 Tab. 1 & Fig. 1, 335–337 Figs 4–6
 Canada
 Alberta (Elk Island National Park): formicine slave-making ants 49–50
 Newfoundland stratotype: basal Cambrian appearances 16
 wader mating systems 280–281 Tabs 1–2, 285 Tab. 6
Canadaspis-like crustaceans: ancestral oscapod 344
 Capitellidae: cladistic analyses of Animalia 399
 carapaces
 fiddler crabs fighting 293, 295–303 & Figs 2–4
 ostracod hingements 344, 346–348, 351, 353, 356, 360 & Fig. 12, 367

- carbonic anhydrase (CA: target enzyme): *Bufo calamita* population genetics 73
- carboxylesterase (E. C. No. 3.1.1.1): *Bufo calamita* population genetics 74
- Caroni drainage area (Trinidad): guppies (*Poecilia reticulata*) 221 & Fig. 1, 225–227 & Tab. 2 & Fig. 2, 230–231
- Catocalinae: macrolepidopteran larvae 266
- Catocalina concima* 266
- Caudites? japonicus*: heterochrony of the ostracod hingement 348 Fig. 2, 351–353 & Fig. 5, 358 Fig. 10, 360 Fig. 12
- Caudofoveata: molluscan cladogram 21 Fig. 3
- Caulerpa* (Caulerpales clade): ploidy evolution 211 Fig. 6
- Caulerpales clade: ploidy evolution 210–212 & Fig. 6 & Tab. 5
- see also *Bryopsisidella*, *Bryopsis*, *Caulerpa*, *Codium*, *Derbesia*, *Halimeda*, *Pedobesia* and *Udotea*
- Cavibelonia: Pachytegmentaria (Adenopoda: molluscan clade) 21 Fig. 3
- **Celonites*: convergent evolution of morphological specializations 235, 244
- C. abbreviatus* 235–240 & Tab. 1 & Figs 1–2, 242–246 & Fig. 20, 248–249
- Cenozoic: phylogenetic lawn 24–25 Fig. 4A
- Cephaleuros*: Trentepohliales clade 211 Fig. 6
- Cephalochordata: cladistic analyses of Animalia 390 Fig. 1, 392 Fig. 2, 394 Fig. 3, 402, 406–408 App. 1
- Cephalodiscus*: pterobranch morphology 28
- Cephalopoda (= Siphonopoda): conchiferan clade 20–21 & Fig. 1
- Cephalorhyncha: cladistic analyses of Animalia 389, 391, 403
- Ceratomia*: macrolepidopteran larvae 260
- C. catalpae* 260–261 & Fig. 2
- C. spp.* 261 Fig. 2, 273 App.
- Ceratomia-Hemaris* 261 Fig. 2
- Ceroplastes*: host relations in the Aphelinidae 41
- Cerura*: macrolepidopteran larvae
- C. scitisscripta* 264 Fig. 4
- C. vinula* 263, 264 Fig. 4, 274 App.
- Chaetodermatidae: Scutopoda (molluscan clade) 21 Fig. 3
- Chaetognatha
- cladistic analyses of Animalia 390 Fig. 1, 392 Fig. 2, 394–395 & Fig. 3, 399, 401, 403, 406–408 App. 1
- 'explosion scenario' 25 Fig. 4C
- Chaetomorpha clades
- C. antennina* and *C. pachynema* 212 Tab. 5
- Cladophorales/Siphonocladales 211 Fig. 6
- Chalcidoidea: host relations in the Aphelinidae 35–37
- Chalepoxenus* species: obligate slave-making 54–55
- characid predators: guppies (*Poecilia reticulata*) 221
- characters
- Chrysolina angusticollis* complex 371–375 & Fig. 1
- cladistic analyses of Animalia 385–393 & Figs 1–2, 395–404, 408–410 Apps 1–2
- gregariousness in macrolepidopteran larvae 255–260, 263 & Tabs 1–2, 265–266 & Fig. 5, 268–269
- see also discrete characters
- heterochrony of the ostracod hingement 343–348, 356–357, 360, 362, 367–368
- Scaphiodontophis* 130, 136–149 & Tabs 1–3 & Figs 1–8, 172
- definition of genus 134
- sexual size dimorphism in minnows 327–329, 331–333 & Figs 1–2, 335–339 & Figs 4–6
- Charadriidae (plovers): mating systems 278
- Charadrius*: wader mating systems
- C. hiaticula* 281–283 Tabs 2 & 4, 285 Tab. 6
- C. morinellus* 281 Tab. 2, 283–285 Tabs 4–6
- C. semipalmatus* 281 Tab. 2, 283–284 Tabs 4–5
- Charanda* spp.: macrolepidopteran larvae 275 App.
- cheetahs, African: genetic monomorphism 70
- Chelicerata: Cambrian evolutionary explosion 24–25 Figs 4A & 4C
- Cheliceriformes: cladistic analyses of Animalia 396
- Chelodia: Testaria (Adenopoda: molluscan clade) 21 Fig. 3
- chi-square tests with Yates correction: fiddler crabs fighting 296
- China
- Cambrian evolutionary explosion 16, 19
- Chengjiang fauna 15, 20 Fig. 2
- Jinshan Formation 2
- northeastern: *Chrysolina angusticollis* 372
- Chioglossa* (Salamandridae): urotomy 182
- Chimptonotriton* (salamanders): urotomy 182
- Chitonida (chitons)
- conchiferan clade 20
- Testaria (Adenopoda: molluscan clade) 21 Fig. 3
- Chloephorinae: macrolepidopteran larvae 276 App.
- Earias clorana* 276 App.
- Chloroclysta* spp.: macrolepidopteran larvae 263 Fig. 3, 274 App.
- *Chlorophyta (green algae): ploidy evolution 197–201, 210 & Tab. 4, 213
- see also Ulotrichales, Ulvophyceae and Volvocales
- Choanoflagellata: cladistic analyses of Animalia 389–390 & Fig. 1, 392 Fig. 2, 394 Fig. 3, 397
- cholinesterases: *Bufo calamita* population genetics 73–74, 77
- Chordata
- Cambrian evolutionary explosion 22, 25 Fig. 4C
- cladistic analyses of Animalia 389, 402–403
- chromosomes: aB inversions (seaweed flies) 2–3, 8–10
- Chrysolina*: parapatric distribution 382–383
- C. angusticollis* complex (flightless leaf beetles) 371–383 & Figs 1–7 & Tabs 1–3
- C. aino* 372–374 & Fig. 1
- C. angusticollis* 372–374 & Fig. 1
- C. porosinsensis* 372
- Chrysomelidae: parapatric distribution in *Chrysolina* 371
- Cibodas, Java: zoogeography of *Suncus murinus* 308–309 & Fig. 1 & Tab. 1
- cichlid fish
- Crenicichla alta* (pike cichlid): predators of guppies (*Poecilia reticulata*) 221, 229
- fighting 304
- Cidaria fulvata*: macrolepidopteran larvae 263 Fig. 3
- Cimicifuga simplex*: hosts of *Chrysolina angusticollis* complex 372–373
- Cirripedia: carapace development 344

- Cistaceae: pollen loads (Central European bees) 243
Fig. 20 (CIS), 246 Fig. 22
- Citheronia regalis*: macrolepidopteran larvae 261 Fig. 2,
273 App.
- Citheroniinae: macrolepidopteran larvae 273 App.
see also *Anisota*, *Eacles*, *Citheronia*, *Dryocampa* and
Sphingicampa
- *cladistics: Cambrian evolutionary explosion 13–33 &
Figs 1–5
- cladistics
analyses of Animalia 385–410 & Figs 1–3 & Apps
1–2
gregariousness in macrolepidopteran larvae 255,
259, 269
heterochrony of the ostracod hingement 353
ploidy evolution 210–212 & Fig. 6 & Tab. 5
see also Caulerpales, Cladophorales/
Siphonocladales, Dasycladales, SCC,
Trentepohliales, Ulotrichales, Ulvales and
Ulvales/Ulotrichales
sexual size dimorphism in minnows 329, 331–333 &
Figs 1–2, 335–338 & Figs 4–6
- Cladocera: carapace development 344
- Cladophora* clades
C. glomerata and *C. pellucida* 212 Tab. 5
Cladophorales/Siphonocladales 211 Fig. 6
- Cladophorales/Siphonocladales clade: ploidy evolution
211 Fig. 6
see also *Anadyomene*, *Chaetomorpha*, *Cladophora*,
Cladophoropsis, *Dictyosphaeria* and *Microdictyon*
- Cladophoropsis*: Cladophorales/Siphonocladales clade
211 Fig. 6
- Clados; version 1.2: cladistic analyses of Animalia 386
- clams: conchiferan clade 20, 30
- *classification: host relations in the Aphelinidae
35–37, 40–43
- claws: fiddler crabs fighting 293, 295–302 & Figs 1 &
3 & Tab. 1
- Clemensia albata*: macrolepidopteran larvae 265 Fig. 5
- climate: social parasitism 56
- Clinostomus*: sexual size dimorphism in minnows 332
Fig. 2
C. elongatus 330–331 Tab. 1 & Fig. 1, 335–337 Figs
4–6
- Clostera*: macrolepidopteran larvae 263–264 & Fig. 4
C. albosigma 264 Fig. 4
C. apicalus 264 Fig. 4
C. brucei 264 Fig. 4
C. inclusa 264 Fig. 4
C. spp. 263–264 & Fig. 4, 274 App.
- Cluthia*: ostracod hingements 357, 367
- Cnestocythere*: heterochrony of the ostracod hingement
347–349 & Fig. 3
C. lamellicosta 350 Fig. 4
C. spp. 347–351 & Figs 2–5
C. truncata 350 Fig. 4
- Cnidaria
Cambrian evolutionary explosion 15, 25 Fig. 4C, 30
Fig. 5
cladistic analyses of Animalia 390 Fig. 1, 392 Fig. 2,
394 Fig. 3, 396–397, 406–408 App. 1
see also *Dickinsonia* 16
- *co-adaptation: sunbird territoriality and *Lobelia* 89
- *coarse-grained: pupation behaviour and pupal colour
in swallowtails 81–82, 85
- Coccobius* (Aphelinidae): sex-related differences 36
C. fulvus 40
C. intermedius 40
C. sp. nr. varicornis 40
- Coccoidea (scale insects): host relations in the
Aphelinidae 35–37
lecaniine 41
- Coccophagoides*: host relations in the Aphelinidae 36
C. abnormicornis 40
C. kuwanae 40
C. utilis 40–41
- Coccophagus*: host relations in the Aphelinidae 36
C. atratus 38
C. basalis 41
C. ceroplastae 41
C. insidiator (*C. gossypariae*) 40
C. malthusi 41
C. pulvinariae 41
C. semicircularis 40
- Codium*: Caulerpales clades 211 Fig. 6
C. fragile (Atlantic and Pacific) 212 Tab. 5
- coefficients
linear: genetic effects of competition 7–8
variation: wader mating systems 285 Tab. 6
- Coelenterata: cladistic analyses of Animalia 397
- **Coelopa frigida*: genetic effects of competition 1–10 &
Tabs 1–2 & Figs 1–2
- **Coelopa pilipes*: genetic effects of competition 1, 3–10
& Tabs 1–2 & Fig. 1
- Coleoptera: parapatric distribution in *Chrysolina* 371
- collections: coral snake mimics
Costa Rican (CRE) 133
Ernest A. Liner (EAL) 133
- Colocasia* spp.: macrolepidopteran larvae 275 App.
- Colombia (COL): coral snake mimics 132–133,
135–137 & Tabs 1–2, 143–147 & Tab. 3 & Fig.
8, 151–154, 193–194 App. & Fig. 20
analysis of variation 155–157 & Tabs 4–5, 159–161
& Tab. 6, 163–164 & lt. 7
behavioural ecology 183 Tab. 8, 187–188
discussion 165–167, 170–172, 174–175
- colonies
Bufo calamita population genetics 69
Formicine slave-making ants 47–57 & Figs 1–4 &
Tab. 1
slaveless 47–48, 50
- Coloradia*: macrolepidopteran larvae
2 spp. 261 Fig. 2
C. spp. 273 App.
- coloration
Chrysolina angusticollis complex 375–381 & Tab. 1 &
Figs 1 & 4–7, 383
coral snake mimics 129–194 & Figs 1–20 & Tabs
1–7 & App.
ventral and subcaudal 143, 163–164 & Tab. 7
macrolepidopteran larvae
gregariousness 255–256, 258–269 & Figs 1–7 &
Tab. 1
warning 253–270 & Figs 1–7 & Tab. 1,
273–276 App.
- Colstan, Adrian and Franklyn Perring (editors). *Insects,
plants and set-aside*. (BSBI Conference Report No.
23). (Book Review: S. L. Jury) 291
- Coluber*: American snakes 181
- Colubridae: coral snake mimics 129, 135, 149, 186

- *commensalism: zoogeography of *Suncus murinus* 307 308
- *comparative analysis: sexual size dimorphism in minnows 327–332 & Tab. 1, 334, 338 340
- *comparative analysis: wader mating systems 277, 285
- comparisons, matched pairwise independent (Felsenstein's method): wader mating systems 279, 284–285 & Tab. 5
- competition: genetic effects 1–5, 7–10
- Compositae: hosts of *Chrysolina angusticollis* complex 372 373
 see also *Aster*, *Cacalia*, *Petasites* and *Senecio*
- computer programs
 Bufo calamita population genetics
 BIOSYS-1: version 1.7: 73
 MINITAB 73
- cladistic analyses of Animalia 385–386, 395, 397–398, 403–404
 see also ACCTRAN, Clados, DELTRAN, Hennig86, MacClade, Nona, PAUP, software and PectWee
- evolutionary genetics of guppies
 BIOSYS-1: version 1.7: 223
 GENEPOP 223
- fighting in fiddler crabs: SYSTAT for Windows 296
- sexual size dimorphism in minnows: MacClade software 333, 335
- zoogeography of *Suncus murinus*: BIOSYS-1: version 1.7: 311
- Conchifera: Cambrian evolutionary explosion 20–21 & Fig. 3, 27–28
 see also cephalopods, chitons, clams, gastropods, molluscs, monoplacophorans, rostroconchs, scaphopods and Pelagiellida
- Conchostraca: carapace development 344
- conclusions
 Cambrian evolutionary explosion 29 30 & Fig. 5
- coral snake mimics 129 130, 153–154, 171 175, 180, 187, 189
- general: cladistic analyses of Animalia 403–404
- heterochrony of the ostracod hingement 368
- host relations in the Aphelinidae 43
- ploidy evolution 211–213
 see also discussion and conclusions
- Coniophanes*: American snakes 181, 185
 C. fissidens 182–184
- *contrast analysis: gregariousness in macrolepidopteran larvae 253–256, 258–269 & Figs 1–7 & Tabs 1–2
- Cornucoquimba tosaensis*: ostracod hingements 348 Fig. 2, 351–353 & Fig. 5, 359 360 Figs 11 12
- correlations
 floral reduction in *Crepis tectorum* 59 66 & Tabs 2–4
- gregariousness in macrolepidopteran larvae 253–255, 269–270
- pupation behaviour and pupal colour in swallowtails 81 83
- sexual size dimorphism in minnows 328–329, 333 334, 337 339
- zoogeography of *Suncus murinus* 311
- Corylus cornuta* (beaked hazelnut): formicine slave-making ants 49
- Cosmia* spp.: macrolepidopteran larvae 275 App.
- Costa Rica
 coral snake mimics 129, 131–133, 136–137 Tabs 1–2, 143–145 & Tab. 3
 analysis of variation 155–157 & Tabs 4–5, 159 160 & Tab. 6, 162, 164 Tab. 7
 Atlantic slope Nicaragua, Costa Rica and western Panama (NIC/PAN) 165–166, 169, 171–172, 174–175, 186, 188
 behavioural ecology 180, 183 Tab. 8, 188
 discussion 165–166, 169 172 & Fig. 10, 174
 origins of colour pattern components 177
 Southwestern Costa Rica and adjacent western Panama (CR/PAN) 165–167, 170–172, 175, 186, 188
 taxonomic review 150, 153
 Tropaeolum nectar use by hummingbirds (*Selasphorus flammula*) 90
- Couesius*: sexual size dimorphism in minnows 332 Fig. 2
 C. plumbeus 330–331 Tab. 1 & Fig. 1, 335–337 Figs 1–6
- covariation: floral reduction in *Crepis tectorum* 60–64, 66
- crabs
 fiddler (*Uca annulipes*) 293–305 & Figs 1 4 & Tabs 1 2
 ghost (*Ocyropsis ceratophthalmus*) 301
 lace (*Marrella*): primitive arthropods 19, 22
 swimming (*Necora puber*) 300
- Cranida: Craniformia (Brachiopoda) 21 Fig. 3
- Craniformia: Brachiopoda (Cambrian appearances) 21 Fig. 3
- Craniophora ligustri*: macrolepidopteran larvae 266 Fig. 6
- Craniopsida: Craniformia (Brachiopoda) 21 Fig. 3
- Crasulaceae: pollen loads (Central European bees) 243 Fig. 20 (CRA), 246 Fig. 22
- creatine kinase (CK: E. C. No. 2.7.3.2)
 Bufo calamita population genetics 74
 loci, *Ck-1* & *Ck-2* 75, 80 App.
 Suncus murinus: *Ck-1* & *Ck-2* 310–312 & Tab. 2
- Crenicichla alta* (pike cichlid): guppies (*Poecilia reticulata*) 221, 229
- Crepis*: floral reduction 64–65
 C. tectorum 59–62 & Fig. 1, 64–66
 subsp. *pumila* 61–66 & Tabs 1 & 4
 subsp. *tectorum* 61
- Crocodyra* (shrews): zoogeography 314
 C. olivieri alleles: comparison with *Suncus* 311
- Crustacea
 Cambrian evolutionary explosion 24–25 Figs 4A & 4C, 29
 Canadaspis-like: ancestral oscaropod 344
- cladistic analyses of Animalia 396
- crypsis
 gregariousness in macrolepidopteran larvae 255 269 & Figs 1–7 & Tabs 1–2
 pupation behaviour and pupal colour in swallowtails 82, 86
- Ctenophora
 cladistic analyses of Animalia 390 Fig. 1, 392–394 & Figs 2 3, 396–398, 406–408 App. 1
 'explosion scenario' 25 Fig. 4C
- ctenostome bryozoans: bioimmuration 28
- Cucullinae: macrolepidopteran larvae 275 App.
 see also Psaphidini and Xylenini
- cultures: seaweed flies 1, 3–9 & Tab. 1 & Figs 1–2
- Cumbria: *Bufo calamita* population genetics 74–75, 77

- Cycloneuralia: cladistic analyses of Animalia 391, 390
Fig. 1, 393–395 & Fig. 3, 401–402
- Cympolia: Dasycladales clade 211 Fig. 6
- Cyprinella: sexual size dimorphism (sexual size dimorphism) 332 Fig. 2
- C. analostana* 330–332 & Tab. 1 & Fig. 1, 335–337 Figs 4–6
- C. callistia* 330–331 Tab. 1 & Fig. 1, 335–337 Figs 4–6
- C. camura* 330–331 Tab. 1 & Fig. 1, 335–337 Figs 4–6
- C. galactura* 330–331 Tab. 1 & Fig. 1, 335–337 Figs 4–6
- C. gibbsi* 330–331 Tab. 1 & Fig. 1, 335–337 Figs 4–6
- C. leedsi* 330–331 Tab. 1 & Fig. 1, 335–337 Figs 4–6
- C. lepida* 330–331 Tab. 1 & Fig. 1, 335–337 Figs 4–6
- C. lutrensis* 329–331 & Tab. 1 & Fig. 1, 335–337 Figs 4–6
- C. nivea* 330–331 Tab. 1 & Fig. 1, 335–337 Figs 4–6
- C. proserpina* 330–331 Tab. 1 & Fig. 1, 335–337 Figs 4–6
- C. pyrrhomelas* 330–331 Tab. 1 & Fig. 1, 335–337 Figs 4–6
- C. spiloptera* 330–331 Tab. 1 & Fig. 1, 335–337 Figs 4–6
- C. venusta* 330–331 Tab. 1 & Fig. 1, 335–337 Figs 4–6
- C. whipplei* 330–331 Tab. 1 & Fig. 1, 335–337 Figs 4–6
- Cyprinidae (minnows): sexual size dimorphism (sexual size dimorphism) 328–330 & Tab. 1, 335, 339
- Cyrtotreta: cladistic analyses of Animalia 389, 390 Fig. 1, 394 Fig. 3, 402–403
- Cytheracea: heterochrony of the ostracod hingement 343–344, 346, 348 Fig. 2, 357, 367–368
see also Cytheridae, Cytheruridae, Hemicytheridae, Leptocytheridae and Loxonconchidae
- Cytheridae: heterochrony of the ostracod hingement 346–352 & Fig. 2, 360, 367
- Cythere* 350–353 & Fig. 7, 367
- Cythere omotenipponica* 348 Fig. 2, 350–354 & Figs 5–8
- Cytherideinae 344
see also *Cnestocythere* and *Schizocythere*
- Cytherura*: heterochrony of the ostracod hingement 356, 367
- C. müi* 348 Fig. 2, 351 Fig. 5, 354, 361 Fig. 13
- Cytheruridae: heterochrony of the ostracod hingement 346–348 & Fig. 2, 354, 356
see also *Cytherura*, *Howeina* and *Semicytherura*
- damsel flies (*Calopteryx maculata*): fighting 301–302
- *danainae (Pacific milkweed butterflies): biogeography 317–326 & Figs 1–2 & Tabs 1–4
- Danaus plexippus* (monarch butterfly): excluded 319
- Dasychira: macrolepidopteran larvae 265–266
- D. albidocincta* 265 Fig. 5
- D. basiflava* 265 Fig. 5
- D. dorsipennata* 265 Fig. 5
- D. obliquata* 265 Fig. 5
- D. spp.* 265 Fig. 5, 275 App.
- D. vagans* 265 Fig. 5
- Dasychira-Euproctis* 265 Fig. 5
- Dasycladales clades: ploidy evolution 210–212 & Fig. 6 & Tab. 5
see also *Acetabularia*, *Batophora* and *Cympolia*
- Datana*: macrolepidopteran larvae 263–264
- D. spp.* 264 Fig. 4, 274 App.
- Daucus carota*: natural foodplant (*Papilio polyxenes* larvae) 82
- defences: gregariousness in macrolepidopteran larvae 253–254, 256–258, 260–270 & Figs 2–7 & Tab. 2
- chemical 253, 256–258, 260–265 & Figs 2 & 4–5, 267 Fig. 7
- physical 253, 256–258, 260–268 & Figs 2–7
see also repellent defences
- definition: genus *Scaphiodontophis* 133–135
- DELTRAN: cladistic analyses of Animalia 395, 403
- Dendrolimus*: macrolepidopteran larvae
- D. pini* 261 Fig. 2
- D. spectabilis* 261 Fig. 2
- D. spp.* 273 App.
- D. superans* 261 Fig. 2
- Dendrophidion*: American snakes 181
- *density troughs: parapatric distribution in *Chrysolina* 371–372, 382–383
- Derbesia tenuissima*: Caulerpales clade 212 Tab. 5
- Desmognathus* (salamanders): urotomy 182
- deuterostomes: Cambrian evolutionary explosion 24 Fig. 4B, 26, 28, 30 Fig. 5
- deuterostome-echinoderm-chordate clade 25
- *Deuterostomia: cladistic analyses of Animalia 385, 389–390 & Fig. 1, 393–396 & Fig. 3, 398–403
- Devonian: Cambrian evolutionary explosion 28, 30
- Rhynie Chert: *Rhyniella* 27
- Diadophis*: former name of *Scaphiodontophis* 133
- D. annulatus* 149
- diagnosis: definition of genus *Scaphiodontophis* 134–135
- Diatraea grandiosella* eggs: rearing of *Encarsia* 42
- Dicallomera fascelina*: macrolepidopteran larvae 265 Fig. 5
- Dickinsonia* (annelid, cnidarian or flatworm): Ediacaran biota 16
- Dicranurini: macrolepidopteran larvae 274 App.
see also *Cerura* and *Furcula*
- Dictyosphaeria* Cladophorales/Siphonocladales clade 211 Fig. 6
- Dicycla oo*: macrolepidopteran larvae 275 App.
- *differential survival: genetic effects of competition 1, 3–10 & Fig. 1
- Digitalaeae (Scrophulariaceae): nototribic flowers 244
- Digitalis lanata* (Scrophulariaceae): nototribic flowers 238 Tab. 1
- Dilobinae: macrolepidopteran larvae 276 App.
- Diloba caeruleocephala* 276 App.
- dimorphism: pupation behaviour and pupal colour in swallowtails 81–87 & Tab. 1 & Figs 1–2
- Dionda*: sexual size dimorphism in minnows 332 Fig. 2
- D. episcopa* 330–331 Tab. 1 & Fig. 1, 335–337 Figs 4–6
- Dioptinae: macrolepidopteran larvae 274 App.
- Phryganidia californica* 274 App.
- diphagous parasitoids: host relations in the Aphelinidae 36
- Diplichnites* trackway: Ediacaran assemblage 20
- diploidy: evolution 197–218 & Figs 1–8 & Tabs 1–5 & Apps 1–2

- diplopods: Cambrian evolutionary explosion 27
Diptera coenitoba: macrolepidopteran larvae 275 App.
 Discinida: Lingulatea (Brachiopoda) 21 Fig. 3
 *discrete characters: gregariousness in
 macrolepidopteran larvae 253–256, 258–259 &
 Fig. 1
 discussion and conclusions: pupation behaviour and
 pupal colour in swallowtails 83–86
 discussions
 biogeography of Pacific milkweed butterflies
 321–325 & Tabs 3–4 & Figs 1–2
 Bufo calamita population genetics 77–78
 cladistic analyses of Animalia 393–402 & Fig. 3
 convergent evolution of morphological
 specializations 247–250
 coral snake mimics 165–175 & Figs 9–11
 evolutionary genetics of guppies 227–232
 fiddler crabs fighting 301–305
 floral reduction in *Crepis tectorum* 65–67
 formicine slave-making ants 52–57
 genetic effects of competition 9–10
 gregariousness in macrolepidopteran larvae
 268–270
 heterochrony of the ostracod hingement 357, 360,
 362–363, 367–368
 parapatric distribution in *Chrysolina* 381–383
 sexual size dimorphism in minnows 338–340
 sunbird territoriality and *Lobelia* 99–104
 wader mating systems 282–287 & Tabs 3–6
 zoogeography of *Suncus murinus* 313–315 & Fig. 2
 disparity: Cambrian evolutionary explosion 13–16, 23,
 26, 29
 distance-Wagner algorithms: *Suncus murinus*
 phylogenetic history 311, 313 Fig. 2
 *distribution: snake coloration, urotomy and mimicry
 130, 132, 135
 *divergent host relations: Aphelinidae 35
 DNA, mitochondrial (mtDNA): zoogeography of
 Suncus murinus 307–308, 313–315
 dominance: floral reduction in *Crepis tectorum* 59–60,
 62–63 & Tab. 1, 65
 dorsum: coral snake mimics 148, 177
 dorsal and tail coloration 137–141 & Figs 1–4
Drosophila
 allozyme studies 77
 genetic effects of competition 2
 D. persimilis and *D. pseudoobscura* 2
 ploidy evolution 199
Drybotodes eremita: macrolepidopteran larvae 275 App.
Drymobius (snakes): urotomy 181
Dryocampa rubicunda: macrolepidopteran larvae 261 Fig.
 2, 273 App.
Du patterns: coral snake mimics 129–130, 142 & Fig.
 5, 147–148, 153–154, 163
 discussion 166–167, 170–171, 175
 origins of colour pattern components 180
 *Dufour's gland: formicine slave-making ants 47–49,
 51–52, 55
 dyads: patterns of coral snake mimics 131–132,
 134–135
 analysis of variation 157–162 & Tab. 6
 behavioural ecology 186–187, 189
 characters 137–138 & Figs 1–2, 140–142, 146–148
 discussion 166, 168–170, 172–175
 origins of colour pattern components 175–180 &
 Figs 12–14
 taxonomic review 150–155
Eacles: macrolepidopteran larvae
 E. imperialis 261 Fig. 2
 E. imperialis pini 273 App.
 Eacles-Hyalophora 261 Fig. 2
Earias clorana: macrolepidopteran larvae 276 App.
 Echinodermata
 Cambrian evolutionary explosion 22, 25–26 & Fig.
 4C
 Arkarua: Ediacaran genera 15–16
 echinoderm/chordate clade 25
 cladistic analyses of Animalia 390 Fig. 1, 392 Fig. 2,
 394 Fig. 3, 397–398, 402, 406–408 App. 1
 Echiura
 cladistic analyses of Animalia 396
 'explosion scenario' 25 Fig. 4C
 ecology, behavioural: coral snake mimics 132,
 180–188 & Tab. 8 & Figs 16–17
 ectoparasitism: host relations in the Aphelinidae 36,
 41
 Ectoprocta: cladistic analyses of Animalia 387–388,
 390 Fig. 1, 392 Fig. 2, 394–396 & Fig. 3,
 399–401, 403, 406–408 App. 1
 Ediacaran biota: Cambrian evolutionary explosion 15,
 18–20, 27
 post-Ediacaran body fossils 16
 see also *Arkarua*, *Burgessia*, *Dickinsonia*, *Diplichnites*,
 Parvancorina, *Praecambridium*, *Spriggina*
 eggs
 Lepidoptera: host relations in the Aphelinidae
 35–42
 wader mating systems: egg-laying 277–287 & Tabs
 1–6
Egira spp.: macrolepidopteran larvae 275 App.
Eilema: macrolepidopteran larvae
 E. bicolor 265 Fig. 5
 Eilema-Hyphantria 265 Fig. 5
 El Salvador: coral snake mimics 133, 136–137 Tabs
 1–2, 151, 153, 164 Tab. 7
 analysis of variation 155–159 & Tabs 4–6, 164 Tab.
 7
 behavioural ecology 183 Tab. 8
 discussion 165, 172
 Eastern and Western Mexico (MEX/SAL) 165–168,
 172, 174–175, 187
Elaphrothrips tuberculatus (thrips): fighting 300
 Elapidae: venomous coral snakes 129, 131, 185
 electrophoreses
 Bufo calamita population genetics 70, 78
 evolutionary genetics of guppies 220, 223
 genetic effects of competition 3
 zoogeography of *Suncus murinus* 307, 310–311
Eligmodontia ziczac: macrolepidopteran larvae 264 Fig. 4
 Elk Island National Park (Canada): formicine slave-
 making ants 49–50
Ellida caniplaga: macrolepidopteran larvae 264 Fig. 4
Emuella: primitive trilobite 29
Enargia spp.: macrolepidopteran larvae 275 App.
Encarsia: host relations in the Aphelinidae 36, 42
 E. formosa 39–41
 E. inaron 39, 42
 E. lahonensis 40–41

- E. lutea* 42
E. pergandiella 39–40
E. perniciosi 40
E. porteri 42–43
E. (Prospaltella) sp. 42
E. tricolor 38–40
 encyrtids: hyperparasitism 37
 Endler's (E) introduction: guppies (*Poecilia reticulata*) 219, 221–226 & Figs 1–2 & Tabs 1–2, 228–232 & Fig. 3
 endoparasitism: host relations in the Aphelinidae 36
 endoparasitoids: host relations in the Aphelinidae 35–38, 40–42
Endorina elegans var *synoica* (Volvocales): ploidy evolution 201
 Endromidae: macrolepidopteran larvae 257, 260–261 & Fig. 2, 273 App.
Endromis: macrolepidopteran larvae 261 Fig. 2
E. versicolora 257, 260–261 & Fig. 2, 273 App.
 England
Bufo calamita population genetics
 Bedfordshire 71–72 & Fig. 1
 Norfolk 71–72 & Fig. 1, 76 Tab. 4
 fossil natterjacks: Cheshire, Devon and Kent 70
 isocitrate dehydrogenase (*Idh-mil*): Merseyside 75
 ostracod hingements: Essex 345
 seaweed flies: North-east 3–4, 8
Encognathus: former name of *Scaphiodontophis* 133, 149–150
E. annulatus: type species 134, 150–151
Enlithis: macrolepidopteran larvae 4 spp. 263 Fig. 3
E. prunata 263 Fig. 3
 Ennominae: macrolepidopteran larvae 273–274 App.
 see also Abraxini, Bistonini, Campeini, Ennomini, Gonodontini, Ourapterygini and Semiothisini
 Ennomini: macrolepidopteran larvae 274 App.
Ennomos subsignarius 262, 274 App.
Ensatina (salamanders): urotomy 182
Entephria caesiata: macrolepidopteran larvae 274 App.
Enteromorpha clades
 Ulvaes 212 Tab. 5
 E. flecuosa and *E. prolifera* 212 Tab. 5
 Ulvaes/Cladophorales 211 Fig. 6
 Enteropneusta: cladistic analyses of Animalia 390 Fig. 1, 392 Fig. 2, 394 Fig. 3, 396, 398, 402, 406–408 App. 1
Enteroxenos (snails): cladistic analysis 403
 Entoprocta
 cladistic analyses of Animalia 387, 390 Fig. 1, 392 Fig. 2, 394–396 & Fig. 3, 399–401, 403, 406–408 App. 1
 'explosion scenario' 25 Fig. 4C
Enallus: New World Colubridae 135, 181–183, 187
 enzymes
Bufo calamita population genetics 72–75 & Tab. 2, 77, 80 App.
 see also esterases
 evolutionary genetics of guppies 219, 223–227 & Tabs 1–2, 231
 see also aspartate, esterase, fumarate, glycerol, isocitrate, phosphoglucosmutase, 6PGDH and superoxide
 Eocene: heterochrony of the ostracod hingement 351 Fig. 5
Epargyreus: macrolepidopteran larvae 266
E. clarus 267 Fig. 7, 276 App.
Epargyreus-Erynnis 267 Fig. 7
Epilobium sp. (fireweed): formicine slave-making ants 49
Epinyrma species: obligate slave-making 54–55
Erannis spp.: macrolepidopteran larvae 273 App.
Ericymba buccata: sexual size dimorphism in minnows 330–332 Tab. 1 & Figs 1–2, 335–337 Figs 4–6
Eriogaster: macrolepidopteran larvae
E. lanestrus 260–261 & Fig. 2, 273 App.
Eriogaster-Gastropacha 261 Fig. 2
Ermodesmis verticillata: SCC clade (Canary and Caribbean) 212 Tab. 5
Erora laetus: macrolepidopteran larvae 267 Fig. 7, 276 App.
Erynnis: macrolepidopteran larvae 266
E. spp. 267 Fig. 7, 276 App.
Erythrolamprus: coral snake coloration 174, 186
Esox lucius (pike): predation 230
 esterases
Bufo calamita population genetics 73–74 & Tab. 2
 Est-1, *Est-2* and *Est-3* 74–77, 80 App.
Poecilia reticulata (guppies): *EST-D**: E. C. No. 1.2.1.2, 224–227 & Tab. 1
Suncus murinus: *ES-1*; E. C. No. 2.7.3.2, 310, 312 Tab. 2
 Euarticulata: cladistic analyses of Animalia 400
Eucera kullenbergi: Mediterranean anthophorid bees 249
Euchoeca nebulata: macrolepidopteran larvae 274 App.
Eudyptula minor (blue penguins): fighting 304
Eugomontia sacculata: Ulotrichales clade 212 Tab. 5
Eulithis prunata: macrolepidopteran larvae 274 App.
 eulophids: hyperparasitism 37
 Eumeninae: macrolepidopteran larvae 276 App.
 Strymonini 276 App.
 Eumetazoa: cladistic analyses of Animalia 389, 390 Fig. 1, 394 Fig. 3, 396–397, 403
Eumomota (motmots): coral snake avoidance responses 185–186
 Eupitheciini: macrolepidopteran larvae 274 App.
Chloroclysta spp. 263 Fig. 3, 274 App.
Eupithecia tenuiata 274 App.
Euploea (major danaine genus): distribution 321
Euproctis: macrolepidopteran larvae 265–266
E. spp. 265 Fig. 5, 275 App.
Eupsilia spp.: macrolepidopteran larvae 275 App.
 Eurasia
 formicine slave-making ants 48–49, 56
 see also China and Europe
 Europe
Bufo calamita population genetics 69–70, 77
 convergent evolution of morphological specializations: Central Europe 235–239 & Tab. 1, 242, 247–249
 floral reduction in *Crepis tectorum*: Baltic 61
 see also Finland, Gotland, Öland and Sweden
 formicine slave-making ants 56
 macrolepidopteran larvae: Northern Europe 257
 ostracod hingements, northern: *Leptocythere castanea* 356
 see also Britain, England, Finland, France, Germany, Iberia, Iceland, Italy, Lapland, Netherlands, Norway and Switzerland
Eurynorhynchus pygmaeus: wader mating systems 280 Tab. 1, 282–283 Tabs 2 & 4, 285

- Eutrochozoa: cladistic analyses of Animalia 400
Euxanthellus (synonym): Aphelinidae 36
 *evolution: heterochrony of the ostracod hingement 343–344
 evolution
 Cambrian evolutionary explosion 28–29
 convergent: morphological specializations in Central European bees and honey wasps 235–252 & Figs 1–20 & Tab. 1
 genetics: guppies (*Poecilia reticulata*) 219–221, 229–230, 232
 gregariousness in macrolepidopteran larvae 253–254
 mating systems and the transition between haploidy and diploidy 197–218 & Figs 1–8 & Tabs 1–5 & Apps 1–2
 experiments
 fiddler crabs fighting 296–301 & Figs 1–4 & Tabs 1–2
 floral reduction in *Crepis tectorum* 59, 62
 genetic effects of competition 2–4, 7
 pupation behaviour and pupal colour in swallowtails 82
 explosion: Cambrian fossil evidence 13–15, 21, 23, 25–26, 29–30
 pre-explosion times 20
 the scenario 15–17, 30 Fig. 5
 trees 24–26 & Fig. 4 (A–C)
- F*-statistics
 Bufo calamita population genetics 75
 floral reduction in *Crepis tectorum* 62
 Fabaceae: nototribic flowers 238 Tab. 1, 243–244 & Fig. 20 (FAB), 246 Fig. 22, 250
 *facilitation: genetic effects of competition 1, 5, 9
 facultative autoparasitoids: host relations in the Aphelinidae 37, 40–41
Fallotaspis: Cambrian trilobites 18 Fig. 1
 Felsenstein
 independent contrasts: sexual size dimorphism in minnows 328, 331
 method of matched pairwise independent comparisons: wader mating systems 279, 284–285 & Tab. 5
- females
 Aphelinidae: host relations 35–43
 Chrysolina angusticollis complex 373–377 & Figs 1 & 3 & Tabs 1–2, 380–382
 coral snake mimics 133, 136 & Tab. 1, 147, 151, 153
 analysis of variation 155–157 & Tab. 4, 161, 163
 behavioural ecology 183 & Tab. 8
 discussion 165, 167, 173
 fiddler crabs fighting 295, 302
 flowers and insects: convergent evolution of morphological specializations 235–237, 239–240 & Fig. 1, 242–246 & Figs 20–21, 249–250
 guppies (*Poecilia reticulata*): evolutionary genetics 229–231 & Fig. 3
 heterochrony of the ostracod hingement 346
 Lobelia flowers: sunbird territoriality 89–92 & Fig. 1, 94, 97
 seaweed flies 5, 7–8 & Fig. 2 & Tab. 2
 sexual size dimorphism in minnows 327–340 & Tabs 1–2 & Figs 1–6
 sunbirds: territoriality and *Lobelia* 93–94, 97, 103–104
 wader mating systems 277–278, 282–283
 zoogeography of *Suncus murinus* 308, 311, 314
Fentonia: macrolepidopteran larvae 263
F. marthesia 264 Fig. 4
 ferns: ploidy evolution 201
 *fighting: fiddler crabs (*Uca annulipes*) 293–305 & Figs 1–4 & Tabs 1–2
 Fiji: biogeography of Pacific milkweed butterflies 317–324 & Tabs 1–4
 Finland
 Crepis tectorum outcrop 61 Fig. 1
 formicine slave-making ants 49
Finmarchinella: ostracod hingements 352–353, 360 Fig. 12, 367
F. hanaii 348 Fig. 2, 351–353 & Fig. 5, 358 Fig. 10, 360 Fig. 12
F. japonica 348 Fig. 2, 351–353 & Fig. 5, 359–360 Figs 11–12
F. uranipponica 347–348 Figs 1–2, 351–353 & Fig. 5
 fireweed (*Epilobium* sp.): formicine slave-making ants 49
 Fisher's tests
 evolutionary change in guppies 223, 225 Tab. 2
 fiddler crabs fighting 296
 formicine slave-making ants 54 Tab. 1
 genetic theory of natural selection 37–38
 wader mating systems 279–280
- fishes
 sexual size dimorphism in minnows 327–329
 mugilid 329
 sunfish 339
 see also cichlids, flounders, guppies, minnows, mosquitofish, pike and sticklebacks
 *fitness: pupation behaviour and pupal colour in swallowtails 81
 Flandrian: *Bufo calamita* population genetics 70
 flatworms (*Dickinsonia*): Ediacaran biota 16
 flies
 seaweed: genetic effects of competition 1–11 & Figs 1–2 & Tabs 1–2
 white- see whiteflies
 *floral morphology: reduction in *Crepis tectorum* 59–62
 F1 hybrids 59–60, 62–63 & Tab. 1, 66
 F2 generations 59–60, 62–66 & Tab. 2
 F3 generations 65
 flounders: esterases 74
 flowers
 nototribic: convergent evolution of morphological specializations 235–239 & Tab. 1, 242, 244–250 & Fig. 21
 see also Fabaceae, Lamiaceae and Scrophulariaceae
 sunbird territoriality and *Lobelia* 89, 91 Fig. 1
 food provisioning: wader mating systems 277–278, 285–286
Formica: formicine slave-making ants 49, 55
F. fusca 50
F. montana 50
F. pergandei 48–51, 55
F. podzolica 47, 49–54 & Fig. 2 & Tab. 1, 56–57
F. sanguinea 48–50, 55–56
F. subintegra 47–52 & Fig. 1, 54–56 & Tab. 1 & Figs 3–4
F. subnuda 47–56 & Figs 1–4 & Tab. 1

- F. subsericea* 55
fusca group 49–50, 55
neogafates group 49
pallidiflava group 49
sanguinea group 47–49, 55
*Formicinae: slave-making ants 47, 49, 52–55
formulae: colour patterns of coral snake mimics 130, 148–149, 165–167, 169, 172
detailed notation 148, 151
fundamental formulae 140 & Fig. 4, 149, 151, 158–159 & Tab. 6
fossils
Cambrian evolutionary explosion 13–30 & Figs 1 & 4–5
see also trace fossils
natterjacks: Britain 70
ostracod hingeiments 343–344, 348, 356–357, 367
*founder effect: evolutionary genetics of guppies 219, 227
France
Bufo calamita 78
ostracod hingeiments 345
frogs, common (*Rana temporaria*): population genetics 69, 72, 76–78 & Tab. 5
fruit production: floral reduction in *Crepis tectorum* 59–65 & Tab. 1 & Tabs 1–3
Fucus serratus and *F. vesiculosus*: use in cultures of seaweed flies 3–4
fumarate hydratase (*FH**, EC 4.2.1.2): guppies (*Poecilia reticulata*) 224–225 & Tab. 1, 227–228
Furcula: macrolepidopteran larvae
F. bicuspis 264 Fig. 4
F. spp. 263–264 & Fig. 4, 274 App.
Gambusia holbrooki (mosquitofish): genetic diversity 227
Gastropacha quercifolia: macrolepidopteran larvae 261 Fig. 2
Gasterosteus aculeatus (sticklebacks): antipredation 229–230
Gastropachinae: macrolepidopteran larvae 273 App.
see also *Eriogaster* and *Phyllodesma*
Gastropoda: conchiferan clade 20–21 & Fig. 3
Gastrotricha
cladistic analyses of Animalia 390 Fig. 1, 392 Fig. 2, 394 Fig. 3, 401, 406–408 App. 1
‘explosion scenario’ 25 Fig. 4C
GENEPOP program: evolutionary genetics of guppies 223
genera: sexual size dimorphism in minnows 327, 329–335 & Tabs 1–2 & Fig. 2, 338–340
Generalized Linear Interactive Modelling (GLIM):
genetic effects of competition 5, 7
*genetic differentiation: guppies (*Poecilia reticulata*) 219, 225–226 & Tab. 2 & Fig. 2, 228, 231
*genetic variability: guppies (*Poecilia reticulata*) 219–221, 223–225 & Tab. 1, 227–229, 231–232
genetics
Adh genotypes: seaweed flies 2–4, 7
associations favouring haploids: ploidy evolution 208–209 & Fig. 5
Bufo calamita populations 69–70, 72–78 & Tabs 3–5
distances: zoogeography of *Suncus murinus* 314
see also Nei and Rogers
effects of competition 1–3, 9
floral reduction in *Crepis tectorum* 60
homeobox genes (HOM/Hox): Cambrian evolutionary explosion 29–30
genus: *Scaphiodontophis*
conclusions 189
definition 133–135
discussion 172
origins of colour patterns 175, 177, 179
taxonomic review 149–154
type species: *Enicognathus annulatus* 134
geography: coral snake mimics
discussion 165–175 & Figs 9–11
fundamental formulae 149
population samples
(1) Atlantic slope: eastern Mexico 155
(2) Pacific slope: western Mexico, Guatemala and El Salvador 155
(3) Atlantic slope: northern Guatemala, Belize and Honduras 155
(4) Atlantic slope: Nicaragua 155
(5) Atlantic slope: Costa Rica and northwestern Panama 155
(6) Pacific slope: southwestern Costa Rica and southwestern Panama 155
(7) central and eastern Panama 155
(8) Columbia 155
summary of colour variation 165–167
taxonomic review 153–154
Geometroidea: macrolepidopteran larvae 257, 260, 262–263 & Tabs 1–2
Geometridae 257, 260, 262–263 & Tabs 1–2 & Fig. 3, 273–274 App.
see also Archierinae, Ennominae and Larentiinae
Germany: genetic variation in natterjack toads 76–78
*ghost ranges: Cambrian evolutionary explosion 13, 19, 22, 25, 28
Gila atraria: sexual size dimorphism in minnows 330–332 Tab. 1 & Figs 1–2, 335–337 Figs 4 & 6
glaciation, last: *Bufo calamita* population genetics 69–70, 77
glands
Dufour’s: formicine slave-making ants 47–49, 51–52, 55
pygidial: formicine slave-making ants 55
Glossopteris: Palaeozoic tree 18
glucose-6-phosphate dehydrogenase (E. C. No. 1.1.1.49): *Suncus murinus*: *G-6-pd* 310–312 & Tab. 2, 314
Gluphisia: macrolepidopteran larvae: 3 spp. 264 Fig. 4
glutamate oxaloacetate transaminase (E. C. No. 1.1.1.49): *Suncus murinus*: *Got-1* & *Got-2* 310–311
glutathione reductase (GR: E. C. No. 1.6.4.2, B, 1):
Bufo calamita population genetics 74
glycerol-3-phosphate dehydrogenase (E. C. No. 1.1.1.8
Poecilia reticulata (guppies): *G3PDH** 224–228 & Tab. 1
Suncus murinus: *Gpd* 310–311
Gnathostomulida
cladistic analyses of Animalia 396
‘explosion scenario’ 25 Fig. 4C
goldenrod (*Solidago* sp.): formicine slave-making ants 49
Gondwana: Palaeozoic tree *Glossopteris* 18
Gonepteryx rhamni: macrolepidopteran larvae 267 Fig. 7
Gonodontini: macrolepidopteran larvae 273 App.
Odontoptera bidentata 273 App.

- Gotland: *Crepis tectorum* 61 Fig. 1
- Graphiphora* spp.: macrolepidopteran larvae 276 App.
- Greenland
- Cambrian evolutionary explosion
 - Kerygmachela* 23
 - Konsevat-Lagerstätten 16
 - Sirius Passet faunas 15
 - wader mating systems 284 Tab. 5, 285 Tab. 6
- *gregariousness: macrolepidopteran larvae 253–276 & Figs 1–7 & Tabs 1–2 & App.
- Guatemala: coral snake mimics 129, 133, 136–137
- Tabs 1 2, 149 154
 - analysis of variation 155 159 & Tabs 4–6, 161–162, 164 Tab. 7
 - behavioural ecology 183 Tab. 8, 187–188
 - discussion 165, 168 Fig. 9, 175
 - Guatemala, Belize and Honduras (GBH): Atlantic slope 165–169, 172, 175
- guppies (*Poecilia reticulata*): evolutionary genetics 219–234 & Figs 1 3 & Tabs 1 2
- habitats
- Bufo calamita* population genetics 69–72 & Fig. 1 & Tab. 1, 77–78
 - sunbird territoriality and *Lobelia* 89–90
- Hadeninae: macrolepidopteran larvae 266 & Fig. 6, 275 App.
- see also *Egira*, *Lacanobia* and *Orthosia*
- hairs, transformed (Apioidea): convergent evolution 235–236, 239–242 & Figs 1–19, 244, 247–349
- Halicidae, Rophitinae (*Rophites*): convergent evolution of morphological specializations 236, 238–239 & Tab. 1
- Halimeda*: Caulerpales clade 211 Fig. 6
- halkerids: ancestors of molluscs and brachiopods 16
- Halysidota tessellaris*: macrolepidopteran larvae 265 Fig. 5, 275 App.
- handedness: fiddler crabs fighting 295–296, 301
- Haploa confusa*: macrolepidopteran larvae 265 Fig. 5, 274 App.
- haploidy: ploidy evolution 197–218 & Figs 1–8 & Tabs 1–5 & Apps 1–2
- Hardy Weinberg tests
- Bufo calamita* population genetics 75
 - evolutionary genetics of guppies 223, 225, 227
 - genetic effects of competition 3, 5, 7–9 & Fig. 2 & Tab. 2
- Hart's rivulus (*Rivulus hartii*): guppy predator 221
- Haskins' (H) introduction: guppies (*Poecilia reticulata*) 219, 221–226 & Fig. 1 & Tabs 1–2 & Fig. 2, 228 232 & Fig. 3
- hatchlings: *Scaphiodontophis* 143–147 & Tab. 3, 152, 156, 158, 180
- hazelnut, beaked (*Corylus cornuta*): formicine slave-making ants 49
- head and neck coloration: coral snake mimics 141–143 & Fig. 5, 145 148 & Figs 7–8
- analysis of variation 155, 159–163 & Tab. 6
 - behavioural ecology 180–181, 188
 - colour pattern formulae 148–149
 - discussion 166–171 & Figs 9–10, 173–175 & Fig. 11
- heads
- coral snake mimics: scutellation 134, 136 137 & Tab. 2
 - floral reduction in *Crepis tectorum* 59–66 & Fig. 1 & Tabs 1 4
- heights
- Lobelia* inflorescence: sunbird territoriality 92, 94–96 & Figs 2–5
 - plants: floral reduction in *Crepis tectorum* 60–66 & Fig. 1 & Tabs 1–2 & 4
- Helicoverpa zea* and *Trichoplusia ni*: moth eggs 42
- Hemaris fuciformis*: macrolepidopteran larvae 261 Fig. 2
- Hemichordata
- Cambrian evolutionary explosion 22–23, 25 Fig. 4C
 - cladistic analyses of Animalia 396, 402
- Hemicognathus*: former name of *Scaphiodontophis* 133, 149
- H. sumichrasti* 149
 - H. venustissimus* 151
- Hemicytheridae: heterochrony of the ostracod hinge 346 348 & Fig. 2, 352–353, 356, 360 Fig. 12
- Hemicythere quadrinodosa* 347–348 Figs 1–2, 351–353 & Fig. 5, 355 Fig. 9, 360 Fig. 12
 - see also *Caudites?*, *Cornucoquimba*, *Finmarchinella* and *Yezothyre*
- Hemidactylum* (salamanders): urotomy 182
- Hemileuca*: macrolepidopteran larvae
- H. spp.* 261 Fig. 2, 273 App.
 - Hemileuca-Automeris* 260
- Hemileucinae: macrolepidopteran larvae 273 App.
- see also *Automeris*, *Coloradia* and *Hemileuca*
- hemipenes: coral snake mimics 133–135, 150
- Hennig86: cladistic analyses of Animalia 386–387, 389, 391
- Hepatoplocota: Testaria (Adenopoda: molluscan clade) 21 Fig. 3
- see also *Paeolima* and *Rhabdopleura*
- Heraclides cressphontes*: macrolepidopteran larvae 267 Fig. 7
- Heriminiinae: macrolepidopteran larvae 275 App.
- Palthis angularis* 275 App.
- Herpetodryas geminatus*: taxonomic review 149–150
- Hesperiidae: macrolepidopteran larvae 258, 266, 276 App.
- see also *Pyrginae*
- Hesperioidea: macrolepidopteran larvae 257–258, 266–267 & Fig. 7
- see also *Epargyreus-Erynnis* and *Hesperiidae*
- Heterocampa*: macrolepidopteran larvae: 2 spp. 264 Fig. 4
- Heterocampinae: macrolepidopteran larvae 263, 274 App.
- see also *Heterocampini* and *Stauropini*
- Heterocampini: macrolepidopteran larvae 274 App.
- see also *Lochmaeus* and *Schizura*
- heterochrony
- Cambrian evolutionary explosion 13, 27–30
 - ostracod hinge 343–348 & Figs 1–2, 360, 362–363, 367–368
- heteronomous parasitoids: host relations in the Aphelinidae 35–43
- *heteronomous hyperparasitoids (adelphoparasitoids or autoparasitoids): host relations in the Aphelinidae 35–43
- Heteropacha rileyana*: macrolepidopteran larvae 261 Fig. 2
- heterotrophic parasitism: host relations in the Aphelinidae 35, 43

- *heterotrophic parasitoids: host relations in the
Aphelinidae 35–38, 40, 42
- heterozygotes: genetic effects of competition
Coelopa 5, 7–10 & Fig. 2 & Tab. 2
Drosophila 2
- hexapods: Cambrian evolutionary explosion 27
- hexokinase (*Hk*; E. C. No. 2.7.1.1.): *Suncus murinus*
310–311
- hingements: ostracod heterochrony 343–344, 346–353
& Figs 1–3 & 5, 355–368 & Figs 9–11 & 13–18
gradual types 343, 346–348 & Figs 1–2, 352,
367–368
leap types 343, 346–348 & Figs 1–2, 352, 357, 360
Fig. 12, 367
- Holarctic birds: mating systems 278, 283 Tab. 4, 287
see also Alaska, Canada, Greenland, Iceland,
Lapland, Netherlands, Norway, Scotland and
Siberia
- Holmia*: Cambrian trilobites 18 Fig. 1
- holotypes: coral snake mimics 133, 152 154, 162–163,
175
- homeobox genes: Cambrian evolutionary explosion 30
HOM/Hox 29
- Homoptera: host relations in the Aphelinidae 36, 42
sternorrhynchos 36
- homozygotes: genetic effects of competition in *Celopa*
1, 5, 7–9
- Honduras: coral snake mimics 129, 131, 133, 136–137
Tabs 1–2, 150
analysis of variation 155 162 & Tabs 4–6, 164 Tab.
7
behavioural ecology 183 Tab. 8
discussion 165 166, 168–169, 171–173 & Fig. 11,
175
Guatemala, Belize and Honduras (GBH): Atlantic
slope 165 169, 172, 175
origins of colour pattern components 177
taxonomic review 152–154
- hormones, browning: pupation behaviour and pupal
colour in swallowtails 82, 86
- host relations: Aphelinidae 35 43
host-heteronomous-hyperparasitoid-hyperparasitoid
systems 39
- Hoveina*: heterochrony of the ostracod hingement 356,
367
H. spp. 348 Fig. 2, 351 Fig. 5, 362 Fig. 14
- hummingbirds (*Selasphorus flammula*) 102
use of *Tropeolium* nectar 90
- Hyalophora* spp.: macrolepidopteran larvae 261 Fig. 2,
273 App.
- Hybognathus*: sexual size dimorphism in minnows 332
Fig. 2
H. placitus 330 331 Tab. 1 & Fig. 1, 335–337 Figs
4–6
- Hybopsis*: sexual size dimorphism in minnows 331–332
& Fig. 2
H. alboris 330–331 Tab. 1 & Fig. 1, 335–337 Figs
4–6
H. amblops 330–331 Tab. 1 & Fig. 1, 335–337 Figs
4–6
H. bifrenatus 330–331 Tab. 1 & Fig. 1, 335–337 Figs
4–6
H. dorsalis 330–331 Tab. 1 & Fig. 1, 335–337 Figs
4–6
- H. hypsinotus* 330–331 Tab. 1 & Fig. 1, 335–337
Figs 4–6
H. labrosus 330–331 Tab. 1 & Fig. 1, 335–337 Figs
4–6
H. longirostris 330–331 Tab. 1 & Fig. 1, 335–337
Figs 4–6
H. rubifrons 330–331 Tab. 1 & Fig. 1, 335–337 Figs
4–6
H. sabinae 330–331 Tab. 1 & Fig. 1, 335–337 Figs
4–6
H. winchelli 330–331 Tab. 1 & Fig. 1, 335–337 Figs
4–6
H. zanemus 330–331 Tab. 1 & Fig. 1, 335–337 Figs
4–6
- *hybrid zones: parapatric distribution in *Chrysolina*
371, 382–383
- Hydrelia sylvata*: macrolepidopteran larvae 274 App.
- Hydria*: macrolepidopteran larvae
H. prunivora 262–263 & Fig. 3, 274 App.
H. undulata 263 Fig. 3
- Hydriomena*: macrolepidopteran larvae
H. ruberata 262–263 & Fig. 3
H. spp. 263 Fig. 3, 274 App.
- Hydriomenini: macrolepidopteran larvae 262 263 &
Fig. 3, 274 App., 274 App.
see also *Entephria*, *Eulithis*, *Hydria*, *Hydriomena*,
Philereme, *Rheumaptera* and *Triphosa*
- Hydrophlox*: sexual size dimorphism in minnows 332
Fig. 2
- Hylaea fasciaria*: macrolepidopteran larvae 273 App.
- Hyloicus pinastri*: macrolepidopteran larvae 261 Fig. 2
- Hymenoptera
Chalcidoidea: host relations in the Aphelinidae
35–36
convergent evolution of morphological
specializations 235 236, 239, 246, 246, 248
formicine slave-making ants 56
- hyperparasitism: host relations in the Aphelinidae 37,
39, 41, 43
heteronomous hyperparasitism 42
- hyperparasitoids: host relations in the Aphelinidae
35 36, 40 42
see also heteronomous
- Hyphantria*: macrolepidopteran larvae 265–266
H. cunea 265 Fig. 5, 274 App.
- hypotheses
biogeography of Pacific milkweed butterflies
317 319, 325
cladistic analyses of Animalia 386, 395
floral reduction in *Crepis tectorum* 60, 66 67
heterochrony of the ostracod hingement 351, 353
pupation behaviour and pupal colour in swallowtails
81–82
sexual size dimorphism in minnows 328, 333, 338
sunbird territoriality and *Lobelia* 103
wader mating systems 277, 279, 286
zoogeography of *Suncus murinus* 307–309, 314
see also masking hypothesis
- Hyppa rectilinea*: macrolepidopteran larvae 275 App.
- Iberia: *Bufo calamita* 70, 78
- Iceland: wader mating systems 281 Tab. 2, 285 Tab.
6
- ichneumonid parasitoids: diversity 56
- ichnogenera: trace fossils 16

- Idiophis vaillanti*: taxonomic review 149–150
- inbreeding
 depression: *Bufo calamita* population genetics 78
 ploidy evolution 200–201
- *inbreeding depression: floral reduction in *Crepis tectorum* 59, 66–67
- Incisalia*: macrolepidopteran larvae
I. lanaoraiensis 267 Fig. 7
I. spp. 267 Fig. 7, 276 App.
- India
 Gondwanan distribution 18
 Southern: zoogeography of *Suncus murinus* 307–309 & Fig. 1 & Tab. 1, 311–315 & Tabs 2–3 & Fig. 2
see also Nilgiri Hills
- Indiana: *Papilio polyxenes* (swallowtails) 82–83 & Tab. 1
- indices
Bufo calamita population genetics 75–76
 cladistic analyses of Animalia 389, 391, 409–410 App. 2
 life cycles: ploidy evolution 210 & Fig. 10
 sexual size dimorphism in minnows
 male gonadosomatic 330 Tab. 1
 ratio male/female body length 329
- *Indomalayan region: zoogeography of *Suncus murinus* 308–314 & Figs 1–2
see also India, Japan, Java, Nepal and Sumatra
- inflorescences, *Lobelia*: sunbird territoriality 89–104 & Figs 1–8
- *Insectivora: zoogeography of *Suncus murinus* 307
- insects
 formicine slave-making ants 48
 HOM/Hox homeobox genes 29
 host relations in the Aphelinidae 43
 scale (Coccoidea): host relations in the Aphelinidae 35–37
- Insects, plants and set-aside*, edited by Adrian Colstan and Franklyn Perring. (BSBI Conference Report No. 23). (Book Review: S. L. Jury) 291
- instars: heterochrony of the ostracod hingement 344, 346, 353
- interactions: fiddler crabs fighting
 experimental 296–301 & Figs 1–4 & Tabs 1–2
 natural 296
- intergradations: patterns of coral snake mimics 129 131, 153 154, 168 173 & Figs 9 11
- introductions
 biogeography of Pacific milkweed butterflies 317
Bufo calamita population genetics 69–71
 Cambrian evolutionary explosion 14–15
 cladistic analyses of Animalia 385 384
 convergent evolution of morphological specializations 236
 evolutionary genetics of guppies 220–221
 fiddler crabs fighting 294–295
 floral reduction in *Crepis tectorum* 59–61 & Fig. 1
 formicine slave-making ants 48–49
 genetic effects of competition 2–3
 gregariousness in macrolepidopteran larvae 254–255
 heterochrony of the ostracod hingement 344–345
 parapatric distribution in *Chrysolina* 371–372
 ploidy evolution 198–199
 pupation behaviour and pupal colour in swallowtails 81 82
 sexual size dimorphism in minnows 327–328
 snake coloration, urotomy and mimicry 130–132
 sunbird territoriality and *Lobelia* 90–92 & Fig. 1
 wader mating systems 277
 zoogeography of *Suncus murinus* 307–308
- introductions of guppies (*Poecilia reticulata*) *see* artificial
- Introverta: cladistic analyses of Animalia 389, 390 Fig. 1, 394 Fig. 3, 403
- inversion systems, chromosomal (aB): seaweed flies 2–3, 8–10
- Ipomorpha* spp.: macrolepidopteran larvae 275 App.
- Ishizakiella*: heterochrony of the ostracod hingement
I. murensis 348 Fig. 2, 351 Fig. 5, 357, 365 Fig. 17
I. supralittoralis 348 Fig. 2, 351 Fig. 5, 357, 365 Fig. 17
- isocitrate dehydrogenase (IDH: E. C. No. 1.1.1.42)
Bufo calamita population genetics 74
Idh-mit & *Idh-M* 75, 80 App.
Poecilia reticulata (guppies): *IDH1** 224 & Tab. 1, 227
Suncus murinus: *Idh-1* & *2*: 310, 312 Tab. 2
- Italy: nototribic flowers 238 Tab. 1, 247–248
- ithomiine butterflies: attraction to human collectors 322
- Japan
 heterochrony of the ostracod hingement 344–346, 348, 353, 356
 northern; Sapporo: parapatric distribution in *Chrysolina* 371–372, 378–381 Tab. 3 & Figs 4–6
 zoogeography of *Suncus murinus* 307 309 & Fig. 1, 311–314 & Tabs 2 3 & Fig. 2
- Java: zoogeography of *Suncus murinus* 308–309 & Fig. 1 & Tab. 1, 312–313 Tabs 2–3 & Fig. 2
- jaws: coral snake mimics 130–131, 134–135, 149, 180
- Jinshan Formation, China: *Paleolina* 23
- juveniles: *Scaphiodontophis* 139, 143–145 & Tab. 3 & Fig. 7, 147, 156, 162–163
 behavioural ecology 183 Tab. 8
 subspecies 175
- Kenny's (K) introduction: guppies (*Poecilia reticulata*) 219, 221–232 & Figs 1 2 & Tabs 1–2
- Kerygmachela*: Lower Cambrian (Greenland) 23
- Kinorhyncha
 cladistic analyses of Animalia 388, 390 Fig. 1, 392 Fig. 2, 394 Fig. 3, 397, 400, 406–408 App. 1
 'explosion scenario' 25 Fig. 4C
- kiskadees (*Pitnanous*): coral snake avoidance responses 185–186
- Konsevat-Lagerstätten: Greenland 15–16
- Kruskal-Wallis test: formicine slave-making ants 51 52, 54 Fig. 3
- Kutorginida: Articulata (Brachiopoda) 21 Fig. 3
- labials: coral snake mimics 136–137 & Tab. 2
- laboratory studies: genetic effects of competition 1–4, 9
- Lacanobia* spp.: macrolepidopteran larvae 275 App.
- lactate dehydrogenase (LDH, E. C. No. 1.1.1.27)
Bufo calamita population genetics 74
Suncus murinus: *Ldh-1*–*2* 310–311
- *Lamiaceae: convergent evolution of morphological specializations 235, 238–239 & Tab. 1, 242 244 & Fig. 20 (LAM), 246 250 & Fig. 22

- see also* *Acinos*, *Ajuga*, *Ballota*, *Calamintha*, *Prunella*,
Salvia, *Stachys*, *Teucrium* and *Thymus*
Lamprozelis: coral snake mimics 186
Laotioe spp.: macrolepidopteran larvae 261 Fig. 2
Lapara bombycoides: macrolepidopteran larvae 261 Fig.
 2, 273 App.
Laplant: wader mating systems 281 Tab. 2
Larentiinae: macrolepidopteran larvae 263 Fig. 3, 274
 App.
see also *Asthenini*, *Eupitheciini*, *Hydriomenini*,
Lobophorini and *Operophterini*
 larvae
 densities: genetic effects of competition 1, 3 9 &
 Figs 1 2 & Tab. 2
 gregariousness in *Macrolepidoptera* 253 276
 provisions: Central European bees 242 244 & Fig.
 20
Lasiocampa quercus: macrolepidopteran larvae 261 Fig.
 2, 273 App.
Lasiocampidae: macrolepidopteran larvae 257,
 260–262 & Fig. 2 & Tab. 1, 273 App.
see also *Gastropachinae*, *Lasiocampinae* and
Macrophalinae
Lasiocampinae: macrolepidopteran larvae 273 App.
see also *Lasiocampini* and *Malacosomatini*
Lasiocampini: macrolepidopteran larvae 273 App.
see also *Dendrolimus*, *Lasiocampa* and *Macrothylacia*
Lasioglossum: flower-visiting female bees
 L. (Erylaeus) clypere 237, 246–247 & Fig. 22
 L. (Erylaeus) convexusculum 237, 246–247 & Fig. 22
 L. xanthopus 237, 246–247 & Fig. 22
Lavandula latifolia: transition from male to female stage
 250
 leaf rolls/ties: macrolepidopteran larval defence
 256–258, 260, 262–264 & Figs 3–4, 266–267 &
 Fig. 7
 lekking: wader mating systems 278
Lepidopleuridae: *Testaria* (*Adenopoda*: molluscan
 clade) 21 Fig. 3
Lepidoptera
 eggs: host relations in the *Aphelinidae* 35 38, 42
 see also moths
 gregariousness in larvae 254–257, 270
 see also *Macrolepidoptera*
 pupation behaviour and pupal colour in swallowtails
 81
Leptocythere: heterochrony of the ostracod hingement
 356–357, 367
 L. castanea 348 Fig. 2, 351 Fig. 5, 356–357, 364 Fig.
 16
 L. pellucida 356
Leptocytheridae: heterochrony of the ostracod
 hingement 346 347, 356 357, 367
see also *Callistocythere*, *Cluthia*, *Ishizakiella* and
Leptocythere
Leptothorax duloticus: obligate slave-making 54
 leucine aminopeptidase (E. C. No. 3.4.11.1): *Suncus*
murinus: *Lap* 310 311
Leuconia salicis: macrolepidopteran larvae 265 Fig. 5,
 275 App.
Leurgnathus (salamanders): pseudautotomy 182
 *life cycle evolution: mating systems and the transition
 between haploidy and diploidy 197–218 & Figs
 1 8 & Tabs 1–5 & Apps 1–2
 index 210 & Tab. 4
Life in Moving Fluids. The Physical Biology of Flora, by
 Stephen Vogel. 2nd Edition. (Book Review: A. A.
 Savage) 291
 lifestyle: gregariousness in macrolepidopteran larvae
 255–256, 258, 260, 263–264 & Fig. 4, 268–270
Limenitinae: macrolepidopteran larvae 276 App.
 Limenitini 276 App.
 Limenitis: macrolepidopteran larvae
 L. camilla 266 267 & Fig. 7
 L. spp. 267 Fig. 7, 276 App.
Limifossoridae: *Scutopoda* (molluscan clade) 21 Fig. 3
Limnodynastes scolopaeus: wader mating systems 282–283
 Tabs 2–3
Limosa limosa: wader mating systems 281 Tab. 2, 283
 Tab. 4
Limulus: ‘trilobite’ larva 29
Linaria (*Scrophulariaceae*): nototribic flowers
 L. genistifolia 238 Tab. 1
 L. vulgaris 238 Tab. 1
Lineatriton (salamanders): pseudautotomy 182
Lingulata: *Brachiopoda* (Cambrian appearances)
 21 22 & Fig. 3
 Lingulatea and *Lingulida* 21 Fig. 3
Liophidium: historical link with *Scaphiodontophis* 134,
 149 150
 L. trilineatum: taxonomic review 149 150
Lithophane spp.: macrolepidopteran larvae 275 App.
 lizards
 colubrine prey 131
 predators of butterflies 325
 urotomy 181–182
 **Lobelia*: sunbird territoriality 89
 L. deckenii 96
 L. keniensis (water-filled lobelia) 90
 L. telekii (ostrich plume lobelia) 89–95 & Fig. 1,
 99–102
Loboconcha: *Conchifera* (molluscan clade) 21 Fig. 3
Lobophorini: macrolepidopteran larvae 274 App.
 Acasis virelata 274 App.
 lobopods: Cambrian evolutionary explosion 18, 23, 25
Lochmaeus: macrolepidopteran larvae
 L. bilineata 264 Fig. 4
 L. manteo 263, 274 App.
 loci
 Bufo calamita population genetics 69, 73–78 & Tab.
 3, 80 App.
 floral reduction in *Crepis tectorum* 59, 62, 66
 presumptive: zoogeography of *Suncus murinus*
 310 312 & Tab. 2, 314
 see also enzymes
Lophocampa: macrolepidopteran larvae 265–266
 L. maculata 265 Fig. 5
 L. spp. 265 Fig. 5, 275 App.
Lophophorata
 Cambrian evolutionary explosion 23, 28
 cladistic analyses of *Animalia* 387 388, 396, 401
 loricas: cladistic analyses of *Animalia* 387 388
Loricifera
 cladistic analyses of *Animalia* 388, 390 Fig. 1, 392
 Fig. 2, 394 Fig. 3, 406–408 App. 1
 ‘explosion scenario’ 25 Fig. 4C
Lounsburyia (*Aphelinidae*): host relations in the
Aphelinidae 36
 L. trifasciata 41

- Loxoconchidae: heterochrony of the ostracod
hingement 346 347
Loxoconcha 367
 L. chinzei 348 Fig. 2, 351 Fig. 5, 357, 366 Fig. 18
 L. sp. 348 Fig. 2, 351 Fig. 5, 357, 366 Fig. 18
luvisol (soil): formicine slave-making ants 49
Luxilus: sexual size dimorphism in minnows 332 Fig. 2
 L. cornutus 330–331 Tab. 1 & Fig. 1, 335–337 Figs 4–6
Lycanidae: macrolepidopteran larvae 258, 276 App.
 see also Eumeninae, Polyommata and Theclinae
Lycia spp.: macrolepidopteran larvae 273 App.
Lymantria: macrolepidopteran larvae
 L. spp. 275 App.
 2 spp. 265 Fig. 5
Lymantriidae: macrolepidopteran larvae 257–258, 260, 265, 275 App.
 see also *Dasychira-Euproctis*, Lymantriinae and Orgyinae
Lymantriinae: macrolepidopteran larvae 275 App.
 see also *Euproctis* and *Lymantria*
Lythrurus: sexual size dimorphism in minnows 332 Fig. 2, 336
 L. bellus 330–331 Tab. 1 & Fig. 1, 335–337 Figs 4–6
 L. fumeus 330–331 Tab. 1 & Fig. 1, 335–337 Figs 4–6
 L. roseipinnus 330–331 Tab. 1 & Fig. 1, 335–337 Figs 4–6

MacClade software
 cladistic analyses of Animalia 386–387, 393
 sexual size dimorphism in minnows 333, 335
Macrobrachium crenulatum (prawns): guppy predation 231
Macrolepidoptera: evolution of larval gregariousness 253–276
 see also Bombycoidea, Geometroidea, Hesperioidea, Noctuoidea and Papilionoidea
Macrophalinae: macrolepidopteran larvae 273 App.
 see also *Poecilocampa* and *Trichiura*
Macrothylacia rubi: macrolepidopteran larvae 261 Fig. 2, 273 App.
Madagascar: coral snake mimics 134, 149–150
Maddison's concentrated changes: sexual size dimorphism in minnows 328, 333
Malacosoma: macrolepidopteran larvae 260
 M. spp. 261 Fig. 2, 273 App.
Malacosomatini: macrolepidopteran larvae 273 App.
 see also *Malacosoma*
malate dehydrogenase (MDH: E. C. No. 1.1.1.37)
 Bufo calamita population genetics 74
 Suncus murinus: *Mdh-1* & *Mdh-2* 310–311
males
 Chrysolina angusticollis complex 372–377 & Figs 1–3 & Tabs 1–2, 380–382
 coral snake mimics 133, 136 & Tab. 1, 151–157 & Tab. 4, 160–161
 behavioural ecology 183 & Tab. 8
 discussion 165, 167
 fiddler crabs fighting 293–305 & Figs 1–4 & Tabs 1–2
 flowers and insects: convergent evolution of morphological specializations 240 & Fig. 2, 244–246, 250
 guppies (*Poecilia reticulata*): evolutionary genetics 230–231 & Fig. 3
 heterochrony of the ostracod hingement 346
 host relations in the Aphelinidae 35–43
 Lobelia flowers: sunbird territoriality 89–92 & Fig. 1, 94–95 & Fig. 4, 97 & Fig. 7, 101–102
 seaweed flies 5, 7–8 & Fig. 2 & Tab. 2
 sexual size dimorphism in minnows 327–339 & Tabs 1–2 & Figs 1–6
 male-male contest 327–329, 332–334 & Tab. 2, 336–339 & Fig. 6
 territorial guarding 327–329, 332–334 & Tab. 2, 336 & Fig. 5, 338–340
 sunbirds: territoriality and *Lobelia* 89–91, 93–94, 97–100 & Tabs 1–3 & Fig. 8, 103–104
 wader mating systems 277–278, 282–283
 zoogeography of *Suncus murinus* 308
 malic enzyme (ME, EC 1.1.1.40)
 Bufo calamita population genetics 74
 me 75, 80 App.
 Suncus murinus: *Me*, *Me-1* & *Me-2* 311–312 & Tab. 2
Mammalia
 sexual size dimorphism (sexual size dimorphism) 328
 Suncus murinus (Asian house shrews) 307–316 & Figs 1–2 & Tabs 1–3
Manawa carapace: heterochrony of the ostracod hingement 344
mandibles: formicine slave-making ants 48–49, 54–55
Mann-Whitney U-tests
 fiddler crabs fighting 299
 sunbird territoriality and *Lobelia* 95–96, 98–99
mannose phosphate isomerase (E. C. No. 5.3.1.8):
 Suncus murinus: *Mpi* 311–312 & Tab. 2
Manykaian (=Nemakit-Daldyn) stage: early Cambrian evolution 16
 Manykaian-Tommotian 17
Margariscus: sexual size dimorphism in minnows 332 Fig. 2
 M. margarita 330–331 Tab. 1 & Fig. 1, 335–337 Figs 4–6
Marrella: lace crabs: primitive arthropods 19, 22
Marumba quercis: macrolepidopteran larvae 261 Fig. 2
Masaridae: convergent evolution 235–239 & Tab. 1, 248
 see also wasps, honey
*masking hypothesis: ploidy evolution 197–200, 210–212 & Tabs 4–5 & Fig. 6
 masking-revealing hypothesis 212–213
*mate provisioning: wader mating systems 277–278, 286
material and methods
 biogeography of Pacific milkweed butterflies 318–319
 Bufo calamita population genetics 71–73 & Fig. 1 & Tab. 1
 convergent evolution of morphological specializations 236–239 & Tab. 1
 evolutionary genetics of guppies 222–223 & Fig. 1
 formicine slave-making ants 49–51
 genetic effects of competition 3–5 & Tab. 1
 gregariousness in macrolepidopteran larvae 256–260 & Fig. 1
 parapatric distribution in *Chrysolina* 372–375 & Figs 1–2

- pupation behaviour and pupal colour in swallowtails 82–83
- snake coloration, urotomy and mimicry 130, 133
- wader mating systems 278–279
- zoogeography of *Suncus murinus* 309–311 & Fig. 1
see also materials and methods
- materials: heterochrony of the ostracod hingement 345–346
- mating
- birds 277–287 & Tabs 1–6
 - ploidy evolution 197–218 & Figs 1–8 & Tabs 1–5 & Apps 1–2
 - assortative 197, 200, 202, 205–208 & Fig. 4 & Tab. 3, 212–213, 215 App. 1
- *mating system evolution: floral reduction in *Crepis tectorum* 59
- *mating systems: sexual size dimorphism in minnows 327–329, 331–334 & Tab. 2, 338–339
- matrices, data: cladistic analyses of Animalia 385–389, 393, 395–397, 398–401, 403–404, 406–408 App. 1
- means: floral reduction in *Crepis tectorum* 59–60, 62–63 & Tab. 1, 65–66 & Tab. 4
- Megachile* (*Chalicodoma*) *albocristata*: Italian bees 248–249
- Megachilidae: Central European bees 238–239 & Tab. 1, 244–245, 248–249
see also *Anthidium*, *Anthocopa* and *Osmia*
- Meganola* spp.: macrolepidopteran larvae 275 App.
- meiosis: ploidy evolution 202–204 & Figs 1–2, 211–212
- Melampyrum* (tribus Rhinanthaceae, Scrophulariaceae): nototribic flowers 242
- Mesozoa
- cladistic analyses of Animalia 396–397
 - 'explosion scenario' 25 Fig. 4C
- Mesozoic
- Cambrian evolutionary explosion 23–25 & Fig. 4A
 - heterochrony of the ostracod hingement 367–368
- Metaphycus*: host relations in the Aphelinidae 41
- Metazoa: cladistic analyses of Animalia 389, 396–398
- *metazoan phylogeny: Cambrian evolutionary explosion 13, 15–17, 23, 25–27, 29–30 & Fig. 5
- methods
- cladistic analyses of Animalia 386–387
 - fiddler crabs fighting 295–296
 - floral reduction in *Crepis tectorum* 62–63
 - formicine slave-making ants 50–51
 - genetic effects of competition 4–5, 8–9
 - ploidy evolution 201–205 & Tabs 1–2 & Figs 1–3
 - sexual size dimorphism in minnows 329
 - sunbird territoriality and *Lobelia* 92–94
see also material and methods
- Mexico: coral snake mimics 129, 131, 133, 135–137 & Tabs 1–2, 143–146 & Tab. 3 & Fig. 8, 192–193 App. & Fig. 18
- analysis of variation 155–159 & Tabs 4–6, 161, 164 Tab. 7
 - behavioural ecology 183 Tab. 8, 187–188, 192–193 & Fig. 18
 - discussion 165–166, 168–169 & Fig. 9, 171–172
 - Eastern and Western Mexico (MEX/SAL) 165–168, 172, 174–175, 187
 - taxonomic review 150–154
- Mianxiandiscus*: Cambrian trilobites 18 Fig. 1
- Microdictyon*: Cladophorales/Siphonocladales clade 211 Fig. 6
- microorganisms, nutritive: seaweed flies 1, 9–10
- Micrurus*: venomous snakes
- M. alleni* 186
 - M. clarki* 186
 - M. microcinctus* 186, 188–189
 - M. nipartitus* 188
- Mimas tiliae*: macrolepidopteran larvae 261 Fig. 2
- *mimicry: biogeography of Pacific milkweed butterflies 317–326 & Figs 1–2 & Tabs 1–4
- mimicry
- coral snakes 129–132, 135, 180–181, 185–189
 - Batesian 186
 - Müllerian 186
 - gregariousness in macrolepidopteran larvae: Batesian 254, 257, 268
- Mimulus guttatus*: flower size/seed mass 66
- MINITAB: *Bufo calamita* population genetics 73
- minnows
- North American: sexual size dimorphism (sexual size dimorphism) 327–341 & Figs 1–6 & Tabs 1–2
 - Phoxinus phoxinus*: antipredation 229–230
- Miocene: heterochrony of the ostracod hingement 343, 345, 348, 351 & Fig. 5, 356–357, 367–368
- Misopates orontium* (Scrophulariaceae): nototribic flowers 238 Tab. 1
- mitochondrial DNA (mtDNA): zoogeography of *Suncus murinus* 307–308, 313–315
- Mitoura nelsoni*: macrolepidopteran larvae 267 Fig. 7
- models
- Cambrian evolutionary explosion 19, 30 Fig. 5
 - fiddler crabs fighting 293–294, 302–305
 - Generalized Linear Interactive Modelling (GLIM): genetic effects of competition 5, 7
 - host relations in the Aphelinidae 38–39, 43
 - ploidy evolution 199–204, 206, 211
 - regression: biogeography of Pacific milkweed butterflies 323 & Tab. 4 & Fig. 2
 - sexual size dimorphism in minnows 327–328, 331, 333, 338–340
- molecular evidence: Cambrian evolutionary explosion 23–25
- Mollusca
- Cambrian evolutionary explosion 16, 18, 20–22 & Fig. 3, 24–28 & Figs 4B & 4C
see also Conchifera
 - cladistic analyses of Animalia 390 Fig. 1, 392 Fig. 2, 394 Fig. 3, 399–400, 403, 406–408 App. 1
 - shell growth 363
- Moma alpinum*: macrolepidopteran larvae 266 & Fig. 6, 275 App.
- monads: patterns of coral snake mimics 129, 131–132, 134–135
- analysis of variation 155, 157, 159–160 & Tab. 6
 - behavioural ecology 186, 188–189
 - characters 137–138 & Figs 1–2, 140, 148
 - discussion 166, 169–170, 173–175
 - origins of colour pattern components 175–180 & Fig. 13
 - taxonomic review 150–151, 153–154
- monogamy: wader mating systems 277–287 & Tabs 1–6
- Monoplacophora = Tryblidia

- conchiferan clade 20 21
 molluscan cladogram 21 Fig. 3
- Monostroma* clades
 Ulotrichales
M. angicava 201, 212 Tab. 5
M. fuscum var. *splendens* 212 Tab. 5
M. groenlandicum 212 Tab. 5
M. undulatum 212 Tab. 5
M. zostericola 212 Tab. 5
 Ulvales/Ulotrichales 211 Fig. 6
- morphology: *Chrysolina angusticollis* complex 371–377 & Figs 1–3 & Tabs 1–2, 379, 383
 mortality: genetic effects of competition 1–2, 10
 mosquitofish (*Gambusia holbrooki*): genetic diversity 227
 moth eggs: *Helicoverpa zea* and *Trichoplusia ni* 42
 moths, pyralid: gregariousness in macrolepidopteran larvae 256–257
 motmots (*Eumomota*): coral snake avoidance responses 185–186
 moulting: heterochrony of the ostracod hingement 343–344, 346 347 & Fig. 1, 351–353 & Fig. 7, 357, 367
 mound areas: formicine slave-making ants 51–52, 57
 *Mount Kenya: sunbird territoriality and *Lobelia* 89–92 & Fig. 1, 102
 mugilid fishes: sexual size dimorphism 329
 Müllerian mimicry: biogeography of Pacific milkweed butterflies 317 318, 325
 mutations: ploidy evolution 197–200, 202–205 & Figs 1 3, 208 209, 211 212
Mylocheilus: sexual size dimorphism in minnows 332 Fig. 2
M. caurinus 330–331 Tab. 1 & Fig. 1, 335–337 Figs 4–6
 Myrmicinae: social parasitism 52–55
Mystacanthophora (subgenus): *Anthophora* (North and South America) 249
- Nadata gibbosa*: macrolepidopteran larvae 264 Fig. 4
 Naraoidae: Cambrian evolutionary explosion 17 18
Naraoida 17–20 & Fig. 2, 29
 protaspides 19
 natterjack toads (*Bufo calamita*): population genetics 69–78 & Fig. 1 & Tab. 1
 *natural selection: evolutionary genetics of guppies 219–221, 227
 necks (coral snake mimics): coloration 141–143 & Fig. 5, 145 146, 161 162
Necora puber (swimming crabs): fighting 300
 nectar
 convergent evolution of morphological specializations 236, 244–246 & Fig. 21, 249–250
Lobelia: sunbird territoriality 89–98 & Figs 1–2, 102–103
Trophaeolum species: use by hummingbirds (*Selasphorus flammula*) 90
Nectarinia (sunbirds): territoriality and *Lobelia*
N. johnstoni (scarlet-tufted malachite) 89–91, 93–94, 102–104
N. reichenowi (golden-winged) 92
 Negros Island, Philippines: zoogeography of *Suncus murinus* 308–309 & Fig. 1 & Tab. 1, 312–313 & Tabs 2–3
 Nei's genetics
 distance: *Suncus murinus* 311, 313 & Tab. 3
 identity: evolutionary change in guppies 223, 225
 Tab. 2
 Nemakit-Daldyn stage: early Cambrian evolution 16
 Nematelminthes: cladistic analyses of Animalia 401 402
 Nematoda
 cladistic analyses of Animalia 390–392 & Figs 1–2, 394 Fig. 3, 397–399, 401, 406 408 App. 1
 'explosion scenario' 25 Fig. 4C
 Nematomorpha
 cladistic analyses of Animalia 390–392 & Figs 1–2, 394 Fig. 3, 406 408 App. 1
 'explosion scenario' 25 Fig. 4C
 Nemertea: 'explosion scenario' 25 Fig. 4C
 Nemertini: cladistic analyses of Animalia 390–392 & Figs 1–2, 394–395 & Fig. 3, 399–400, 406–408 App. 1
 Neogene: heterochrony of the ostracod hingement 368
 Neomeniomorpha: Aplousobranchia (Adenopoda: molluscan clade) 21 Fig. 3
Neomys (shrews): zoogeography 314
Neophasia menapia: macrolepidopteran larvae 267 Fig. 7, 276 App.
 Neorenia: cladistic analyses of Animalia 385, 393–395 & Fig. 3, 402
 Nepal: zoogeography of *Suncus murinus* 307, 309–314 & Figs 1–2 & Tabs 1–2
Nepytia umbrosaria: macrolepidopteran larvae 274 App.
Nerice bidentata: macrolepidopteran larvae 274 App.
Nerodia: American snakes 181
 nests: formicine slave-making ants 47–54 & Fig. 2 & Tab. 1, 56–57
 Netherlands: wader mating systems 281 Tab. 2
 Newfoundland stratotype: basal Cambrian appearances 16
 Nicaragua: coral snake mimics 129, 131–133, 136–137 Tabs 1 2, 149–151, 153–154, 193 App.
 analysis of variation 155–157 & Tabs 4–5, 159–160 & Tab. 6, 162, 164 Tab. 7
 behavioural ecology 183 Tab. 8
 discussion 165–166, 169, 171–173
 Nicaragua, Costa Rica and western Panama (NIC/PAN) 165–166, 169, 171–172, 174–175, 186, 188
 origins of colour pattern components 177
 Nielsen, Claus: cladistic analyses of Animalia 385–386, 388–389, 393–396 & Fig. 3, 399–403, 406–408 App. 1
 Nilgiri Hills, Southern India: zoogeography of *Suncus murinus* 307 309 & Fig. 1 & Tab. 1, 311, 314
Nocomis: sexual size dimorphism in minnows 332 Fig. 2
N. biguttatus 330–331 & Tab. 1 & Fig. 1, 335–337 Figs 4–6
 Noctuidae
Anomis texana (eggs): *Encarsia* endoparasitoids 42
 macrolepidopteran larvae 258, 260, 262 Tabs 1–2, 266 & Fig. 6, 276 App., 275–276 App.
 see also Acronictinae, Amphipyridae, Chloephorinae, Cucullinae, Dilobinae, Hadeninae, Herminiinae, Noctuinae, Pantheinae, Rivulinae and Sarothripinae
 Noctuinae: macrolepidopteran larvae 276 App.
Graphiphora spp. 276 App.
 Noctuoidea: macrolepidopteran larvae 257–258, 262 266 & Tabs 1–2

- see also Arctidae, Lymantriidae, Noctuidae and Nolidae
Nola spp.: macrolepidopteran larvae 275 App.
 Nolidae: macrolepidopteran larvae 258, 275 App.
 see also *Meganola* and *Nola*
 Nona: cladistic analyses of Animalia 385, 387
 North Dakota, United States: formicine slave-making ants 49, 51
 North Pacific: ostracod hingements 356
 Norway: wader mating systems 280–281 Tabs 1–2, 285 Tab. 6
 notation, detailed: coral snake mimics 148
Nothopsis: American colubrid snakes 135
 Notochordata: cladistic analyses of Animalia 389, 403
Notodonta: macrolepidopteran larvae
 2 spp: 264 Fig. 4
 N. dromedarius 264 Fig. 4, 274 App.
 Notodontidae: macrolepidopteran larvae 258, 262–263 & Tabs 1–2
 see also Dioptriinae, Heterocampinae, Notodontinae, Nystaleinae, Pygaerinae, Phalerinae
 Notodontinae: macrolepidopteran larvae 263–264 & Fig. 4, 274 App.
 see also Dicranurini and Notodontini
 Notodontini: macrolepidopteran larvae 274 App.
 see also *Notodonta*, *Odontesia*, *Pheosia* and *Ptilodon*
 *nototribic flowers: convergent evolution of morphological specializations 235–239 & Tab. 1, 242, 244–250 & Fig. 21
 see also Fabaceae, Lamiaceae and Scrophulariaceae
Notropis: sexual size dimorphism in minnows 331–332 & Fig. 2
 N. atherinoides 330–331 & Tab. 1 & Fig. 1, 335–337 Figs 4–6
 N. bairdi 330–331 Tab. 1 & Fig. 1, 335–337 Figs 4–6
 N. blennioides 330–331 Tab. 1 & Fig. 1
 N. burchanani 330–331 Tab. 1 & Fig. 1, 335–337 Figs 4–6
 N. cahabae 330 Tab. 1
 N. girardi 330–331 Tab. 1 & Fig. 1, 335–337 Figs 4–6
 N. heterolepis 330–331 Tab. 1 & Fig. 1, 335–337 Figs 4–6
 N. maculatus 330–331 Tab. 1 & Fig. 1, 335–337 Figs 4–6
 N. rubellus 330–331 Tab. 1 & Fig. 1, 335–337 Figs 4–6
 N. spectrunculus 330–331 Tab. 1 & Fig. 1, 335–337 Figs 4–6
 N. texanus 330–332 Tab. 1 & Figs 1–2, 335–337 Figs 4–6
 N. volucellus 330–332 Tab. 1 & Figs 1–2, 335–337 Figs 4–6
 nucleoside phosphorylase (NP: EC 2.4.2.1, A, 1): *Bufo calamita* population genetics 74
Numenius: wader mating systems
 N. arquata 281 Tab. 2, 283 Tab. 4
 N. phaeopus 281 Tab. 2, 283 Tab. 4
 nuthatches (*Sitta*): genetic effects of competition 2
Nyctea: macrolepidopteran larvae
 N. spp. 275 App.
 2 spp. 266
 Nymphalidae
 Danainae (Pacific milkweed butterflies):
 biogeography 317, 319–321, 323 Fig. 1
 macrolepidopteran larvae 258, 262 Tab. 2, 276 App.
 see also Apaturinae, Limenitinae and Nymphalinae
 Nymphalinae: macrolepidopteran larvae 267–268 & Fig. 7
 see also *Limenitis* and *Polygonia*
 Nymphalis: macrolepidopteran larvae
 N. spp. 276 App.
 4 spp. 267 Fig. 7
 Nystaleinae: macrolepidopteran larvae 274 App.
 Symmerista spp. 274 App.
 obligate alloparasitoids: host relations in the Aphelinidae 41
 obligate autoparasitoids: host relations in the Aphelinidae 37, 40–41
 see also *Coccobius*, *Coccophagoides*, *Coccophagus* and *Encarsia*
 Obolellida: Articulata (Brachiopoda) 21 Fig. 3
Ocyropsis ceratophthalma (ghost crabs): fighting 301
Odontesia carmelita: macrolepidopteran larvae 264 Fig. 4, 274 App.
Oedipina (salamanders): urotomy 182
 Öland; Baltic island: *Crepis tectorum* 60–62 & Fig. 1
 Olenellid province: trilobites 18 Fig. 1
Olenellus: Cambrian trilobites 18 Fig. 1
 Oligocene: heterochrony of the ostracod hingement 351 Fig. 5
Oligocentria lignicolor: macrolepidopteran larvae 274 App.
 olive scales: US control 41
 *ontogeny: coral snake mimics 129–130, 139, 141, 143–148 & Figs 6–8 & Tab. 3
 analysis of variation 160, 163
 discussion 169, 171, 175
 *ontogeny: heterochrony of the ostracod hingement 343–344, 346–348 & Fig. 1, 353, 357, 362
 Onychophora
 Cambrian evolutionary explosion 25 Fig. 4C, 27
 cladistic analyses of Animalia 390 Fig. 1, 392 Fig. 2, 394 Fig. 3, 398–400, 403, 406–408 App. 1
 Operophterini: macrolepidopteran larvae 274 App.
 Operophtera spp. 274 App.
 Ordovician
 Cambrian evolutionary explosion 28
 post-Ordovician 19
 heterochrony of the ostracod hingement 367
Orygia: macrolepidopteran larvae: *O.* spp. 275 App.
 7 spp. 265 Fig. 5
Orygia: macrolepidopteran larvae 275 App.
 see also *Calthea*, *Dasychira*, *Leucoma* and *Orygia*
 origins and transformations of colour pattern components: coral snake mimics 130, 175–180 & Figs 12–15
 Oropuche drainage area (Trinidad): guppies (*Poecilia reticulata*) 221 & Fig. 1, 225–227 & Tab. 2 & Fig. 2, 230–231
Orthosia: macrolepidopteran larvae 266 & Fig. 6
 O. miniosa 266 & Fig. 6
 O. spp. 266 Fig. 6, 275 App.
 **Osmia*: convergent evolution of morphological specializations 235, 244

- O. (Chalcosmia) coerulescens* 235, 238–239 & Tab. 1, 241–243 & Figs 12–13 & 20, 248
- O. claviventris* 241–242 & Fig. 17
- O. (Helicosmia) aurulenta* 235, 238–239 & Tab. 1, 241–243 & Figs 10–11 & 20, 248
- *Ostracoda: heterochrony of the ostracod hingement 343–344, 346, 357, 360, 363, 367–368
- Ourapterygini: macrolepidopteran larvae 274 App.
- Nepytia umbraria* 274 App.
- outcrops: floral reduction in *Crepis tectorum* 59–62 & Fig. 1, 65–66
- Oxybelis*: American snakes 181
- Pachysphinx modesta*: macrolepidopteran larvae 261 Fig. 2
- Pachytegmentaria: Adenopoda (molluscan clade) 21 Fig. 3
- *Pacific Ocean: biogeography of milkweed butterflies 317–326 & Figs 1–2 & Tabs 1–4
- see also Bismarks, Fiji, Eastern and Western Solomons and Vanuata
- Pacific slope: Central American coral snake mimics 151, 155, 158, 160–162, 172, 188
- *paedomorphosis: heterochrony of the ostracod hingement 343, 348, 357, 360, 367–368
- Paegerinae: macrolepidopteran larvae 263
- Paquetides: Cambrian trilobites 18 Fig. 1
- Paquetiellus: Cambrian trilobites 18 Fig. 1
- pairs: heterochrony of the ostracod hingement 343, 347 & Fig. 1, 357, 367–368
- complete 343, 347–356 & Figs 1–2 & 5, 367–368
- incomplete 343, 347–348 & Figs 1–2, 351–352 & Fig. 5, 356–357, 367–368
- pairwise comparisons: *Suncus murinus* 311
- Palaeocene
- Cambrian evolutionary explosion 23
- Glossopteris* tree 18
- Palaeozoic record 19, 24 Fig. 4A
- heterochrony of the ostracod hingement: Palaeogene 367–368
- palaeontology: heterochrony of the ostracod hingement 343–344
- post-Palaeozoic 344, 351 Fig. 5, 367
- Paleolina*: Vendian Jimshan Formation 23
- Palthis angularis*: macrolepidopteran larvae 275 App.
- Panama: coral snake mimics 129, 131–133, 136–137
- Tabs 1–2, 143, 145, 193 App.
- analysis of variation 155–157 & Tabs 4–5, 159–160 & Tab. 6, 162–164 Tab. 7
- behavioural ecology 183 Tab. 8, 187–188
- central and eastern Panama (PAN) 165–167, 169–171, 174–175, 187
- discussion 165–166, 169–172 & Fig. 10, 175
- Nicaragua, Costa Rica and western Panama (NIC/PAN) 165–166, 169, 171–172, 174–175, 186, 188
- origins of colour pattern components 177
- Southwestern Costa Rica and adjacent western Panama (CR/PAN) 165–167, 170–172, 175, 186, 188
- taxonomic review 150–154
- Panarthropoda: cladistic analyses of Animalia 389, 395, 397, 400, 403
- Pandorina morum* (Volvocaceae, Chlorophyta): ploidy evolution 201
- Panthea* spp.: macrolepidopteran larvae 275 App.
- Pantheinae: macrolepidopteran larvae 275 App.
- see also *Charada*, *Colocasia* and *Panthea*
- panthers, Florida: genetic monomorphism 70
- Paonias*: macrolepidopteran larvae: 2 spp. 261 Fig. 2
- Papilio* (swallowtails): pupation behaviour and pupal colour
- P. glaucus* 86
- P. polytes* 85
- P. polyxenes* 81–85 & Tab. 1 & Figs 1–2
- Papilionidae
- macrolepidopteran larvae 258, 266, 276 App.
- see also Papilioninae and *Pterourus*
- pupation behaviour and pupal colour in swallowtails 81
- Papilioninae: macrolepidopteran larvae 276 App.
- Papilio* spp. 276 App.
- Papilionini 258
- Papilionoidea: macrolepidopteran larvae 257–258, 263 Tab. 2, 266–269 & Fig. 7
- see also Lycaenidae, Nymphalidae, Papilionidae, Pieridae and *Pterourus-Asterocampa*
- paradox: Cambrian evolutionary explosion 26–27
- Paraguay: *Simophis* (colubrid snakes) 176
- parapatry: distribution of *Chrysolina* 371–372, 377–378 & Fig. 4, 381–383
- parasitism
- host relations in the Aphelinidae 35–40, 42
- see also allo-, auto-, ecto-, endo-, heterotrophic and hyperparasitism
- social: formicine slave-making ants 48, 52–56
- parasitoids
- host relations in the Aphelinidae 35–43
- see also adelpho-, allo-, auto-, endo-, hyperparasitoids, diaphagous and heterotrophic parasitoids
- ichneumonid: diversity and latitude 56
- Parastichtis suspecta*: macrolepidopteran larvae 275 App.
- Paratethys, Miocene: heterochrony of the ostracod hingement 348
- Parenchymia: cladistic analyses of Animalia 395–396, 400, 403
- *parental care: wader mating systems 277, 279–280, 283 Tab. 4, 286–287
- Paria river, Trinidad: guppies (*Poecilia reticulata*) 222 Fig. 1, 225 Tab. 2, 231
- parthenogenesis: ploidy evolution 197, 203–206 & Figs 1 & 3, 208 & Tab. 3, 213, 217–218 App. 2
- Parvancorina* (arthropod): Ediacaran genera 15–16, 19–20 & Fig. 2
- passerines: mating systems 277, 286–287
- Paterinida: Lingulatea (Brachiopoda) 21 Fig. 3
- patterns
- colour: coral snake mimics
- formulae 130, 148–149, 151–152, 165–167
- head and neck 141–143 & Fig. 5
- see also A, Du, V and Z patterns
- ontogenetic changes 143–147 & Figs 6–8
- origins and transformations of components 130, 175–180 & Figs 12–15, 175–180 & Figs 12–15 tricolour (TR)
- I 140 & Fig. 4, 151–152, 158–161 & Tab. 6, 167, 172, 180, 188
- II 140 & Fig. 1, 158–159 & Tab. 6, 167
- III 140 & Fig. 1, 152, 158–159 & Tab. 6, 167

- IV 140 & Fig. 1, 151–152, 158–159 & Tab. 6, 167, 172, 180, 188
- V 140 & Fig. 1, 149, 159–161 & Tab. 6, 167, 180, 188
- VI 140–141 & Fig. 1, 151–152, 159–161 & Tab. 6, 167, 180, 188
- see also dyads, monads, spots, tetrads, and triads
- geographic distribution of *Chrysolina angusticollis* complex 377–378 & Fig. 4, 382
- PAUP: cladistic analyses of Animalia 386–387, 389, 391, 393, 403
- Pavonia*: macrolepidopteran larvae 260
- P. pavonia* 261 Fig. 2, 273 App.
- Pectinapis* (Anthophoridae): Mexican bee 249
- Pedobesia clavigiformis*: Caulerpaes clade 212 Tab. 5
- PeeWee: cladistic analyses of Animalia 386 387, 391
- Pelagiellida: conchiferan clade 20 22
- penguins, blue (*Eudyptula minor*): fighting 304
- Pentastomida
- cladistic analyses of Animalia 396
- 'explosion scenario' 25 Fig. 4C
- peptidase: *Bufo calamita* population genetics
- A substrate glycyl-leucine (PEP-A, EC --, A, 1) 74
- B substrate glycyl-leucine (PEP-B, EC --, A, 1) 74
- Peridia*: macrolepidopteran larvae: 3 spp. 264 Fig. 4
- Perring, Franklyn. *Insects, plants and set-aside*, edited by Adrian Colstan and Franklyn Perring. (BSBI Conference Report No. 23). (Book Review: S. L. Jury) 291
- Petastes japonicus*: hosts of *Chrysolina angusticollis* complex 372 373, 381
- 6PGDH*: guppies (*Poecilia reticulata*) 224 Tab. 1, 227
- Phaegopterini: macrolepidopteran larvae 274–275 App.
- Phaenognathus* (salamanders): urotomy 182
- Phalaropus*: wader mating systems
- P. fulvicastris* 281 285 Tabs 2–3 & 5–6
- P. lobatus* 281 284 Tabs 2–3 & 5
- P. lobatus lobatus* 285 Tab. 6
- Phalera*: macrolepidopteran larvae 263–264
- P. bucephala* 264 Fig. 4, 274 App.
- Phalerinae: macrolepidopteran larvae 263, 274 App.
- see also *Datana* and *Phalera*
- Phanerozoic: Cambrian evolutionary explosion 13, 15, 17, 24 Fig. 4B, 29–30 & Fig. 5
- Pheidole*: social parasitism 53
- Phenacobius*: sexual size dimorphism in minnows 332 Fig. 2
- P. mirabilis* 330 331 Tab. 1 & Fig. 1, 335–337 Figs 4–6
- Pheosia*: macrolepidopteran larvae
- 2 spp. 264 Fig. 4
- P. gnoma* 264 Fig. 4, 274 App.
- Philereme* spp.: macrolepidopteran larvae 274 App.
- Philippines; Negros Island: zoogeography of *Suncus murinus* 308 309 & Fig. 1 & Tab. 1, 312 313 & Tabs 2–3 & Fig. 2
- Philomachus*: wader mating systems, *P. pugnax* 280 281 Tabs 1–2, 283 284 Tabs 4–5
- Pholidodoskepia: Aplousobranchia (Adenopoda: molluscan clade) 21 Fig. 3
- Phoronida
- Cambrian evolutionary explosion 21–23 & Fig. 3, 25 Fig. 4C, 28
- cladistic analyses of Animalia 387–388, 390 Fig. 1, 392 Fig. 2, 394–398 & Fig. 3, 400–402, 406–408 App. 1
- 6-phosphogluconate dehydrogenase (6Pgd; E. C. No. 1.1.1.44): *Suncus murinus* 311–312 & Tab. 2
- phosphatase acid (E. C. No. 3.1.3.2): *Suncus murinus*: Pa 311
- phosphoglucosyltransferase (PGMT; E. C. No. 5.4.2.2.): *Bufo calamita* population genetics 74
- Poecilia reticulata* (guppies): PGM* 224–227 & Tab. 1
- Suncus murinus* (Pgm; E. C. No. 2.7.5.1) 311 312 & Tab. 2
- phosphoglucose isomerase (E. C. No. 5.3.1.9): *Suncus murinus*: Pgi 311
- Phoxinus*
- antipredation: *P. phoxinus* (minnows) 229–230
- sexual size dimorphism in minnows 332 Fig. 2
- P. eos* 330–331 Tab. 1 & Fig. 1, 335 337 Figs 4–6
- P. erythrogaster* 330–331 Tab. 1 & Fig. 1, 335–337 Figs 4–6
- Phryganidia californica*: macrolepidopteran larvae 264 Fig. 1, 271 App.
- Phycopeltis* (Trentepohliales clade): ploidy evolution 211 Fig. 6
- Phycotes pedum* zone: basal Cambrian appearances 16
- Phygalia titea*: macrolepidopteran larvae 273 App.
- phyla: cladistic analyses of Animalia 385–388, 393, 395–403
- Phylactolaemata: primitive bryozoans 28
- Phylodesma*: macrolepidopteran larvae 261 Fig. 2
- P. americana* 261 Fig. 2
- P. ilicifolia* 261 Fig. 2
- P. spp.* 273 App.
- *phylogenies: gregariousness in macrolepidopteran larvae 253–261 & Figs 1–2, 263–269 & Figs 3–7
- phylogenies
- Cambrian evolutionary explosion 13, 15, 17 19 & Figs 1 2, 22 28 & Fig. 1, 30
- phylogenetic lawn 24–25 & Fig. 4A
- sexual size dimorphism in minnows 327 328, 331, 333, 338 339
- *phylogeny: cladistic analyses of Animalia 385–386, 393, 395 404
- *phylogeny: zoogeography of *Suncus murinus* 307
- Physcus* (synonym): Aphelinidae 36
- Picea glauca* (white spruce): formicine slave-making ants 49
- Pieridae: macrolepidopteran larvae 258, 262 Tab. 2, 266, 276 App.
- see also Pierinae
- Pierinae: macrolepidopteran larvae 269, 276 App.
- see also *Aporia* and *Neophasia*
- Pikaia*: Burgess Shale 22
- pike (*Esox lucius*): predation 230
- pilosity, facial: convergent evolution (Hymenoptera) 235, 237 242 & Tab. 1 & Figs 1–17, 244–249
- Pimephales*: sexual size dimorphism in minnows 332 Fig. 2
- P. notatus* 330–331 Tab. 1 & Fig. 1, 335–337 Figs 4–6
- P. promelas* 330 Tab. 1
- P. vigilax* 330 Tab. 1
- Pitaneus* (kiskadees): coral snake avoidance responses 185 186
- Pitch Lake, Trinidad: guppies (*Poecilia reticulata*) 222 Fig. 1, 225 226 Tab. 2 & Fig. 2, 231 232

- Placophora = Polyplacophora: molluscan cladogram 21 Fig. 3
- Placozoa
cladistic analyses of Animalia 389–390 & Fig. 1, 392 Fig. 2, 394 Fig. 3, 397, 406–408 App. 1
'explosion scenario' 25 Fig. 4C
- plankton: Cambrian evolutionary explosion 17, 29 30 & Fig. 5
- planulas: Cambrian evolutionary explosion 25 Fig. 4C
- Platartia parthenos*: macrolepidopteran larvae 265 Fig. 5, 275 App.
- platygastriids: hyperparasitism 37
- Platyhelminthes
Cambrian evolutionary explosion 25 26 & Fig. 4C
cladistic analyses of Animalia 390–392 & Figs 1–2, 394–395 & Fig. 3, 399–400, 406–408 App. 1
- Plebejus argus*: macrolepidopteran larvae 267 Fig. 7, 276 App.
- Pleistocene: heterochrony of the ostracod hingement 343, 345–346, 356–357, 367–368
- Plemyria*: macrolepidopteran larvae: 2 spp. 263 Fig. 3
- Plethodontidae (salamanders): urotomy 182
Plethodon 182
- Pliocene: heterochrony of the ostracod hingement 346
- *ploidy evolution: mating systems and the transition between haploidy and diploidy 197–218 & Figs 1–8 & Tabs 1 5 & Apps 1–2
- plovers: mating systems 277–281 & Tab. 2
grey (*Pluvialis squatarola*) 284–285
see also Charadriidae and sandpipers 278
- Pluvialis*: wader mating systems
P. apricaria 281 Tab. 2, 283 Tab. 4, 285 Tab. 6
P. dominica 281 Tab. 2, 283 Tab. 4, 285 Tab. 6
P. fulva 281–283 Tabs 2 & 4
P. squatarola 281 Tab. 2, 283–285 & Tab. 4 & 6
- *Podocopida: heterochrony of the ostracod hingement 343 344, 368
- Poecilia reticulata* (Poeciliidae): evolutionary genetics of guppies 219–234 & Figs 1–3 & Tabs 1–2
- Poecilocampa populi*: macrolepidopteran larvae 261 Fig. 2, 273 App.
- Pogonophora
cladistic analyses of Animalia 396
'explosion scenario' 25 Fig. 4C
- *pollen-collecting apparatus: convergent evolution of morphological specializations 235–239 & Tab. 1, 242–250 & Figs 20–22
- pollination, *Lobelia*: sunbird territoriality 89–90, 97, 101–102
- polychaetes: cladistic analyses of Animalia
sabellid 387
serpulid 387
- Polydonthopsis*: former name of *Scaphiodontophis* 133, 149–150
P. venustissimus 149
- Polyergus*: slave-making ants 49, 54–55
P. breviceps 47–57 & Figs 1–4 & Tab. 1
P. lucidus 54, 57
- Polygalaceae: pollen loads (Central European bees) 243 Fig. 20 (POL)
- polygamy: wader mating systems 277–287 & Tabs 1–6
- Polygonia*: macrolepidopteran larvae 267 Fig. 7
P. spp. 267 Fig. 7, 276 App.
Polygonia-Limenitis 267 Fig. 7
Polygonia-Nymphalis 266
- Polyplacophora = Placophora: molluscan cladogram 21 Fig. 3
- poplar, balsam: (*Populus balsamifera*): formicine slave-making ants 49
- *population genetics: *Bufo calamita* 69–78 & Fig. 1 & Tabs 1 & 3–5, 80 App.
- population samples: coral snake mimics 130, 155, 163, 167, 169–172
(1) Atlantic Slope: eastern Mexico 155–158, 161, 163, 165, 188
(2) Pacific slope: western Mexico, Guatemala and El Salvador 155–158, 161, 163, 165, 180
(3) Atlantic slope: northern Guatemala, Belize and Honduras 155–157, 161 163, 165, 180
(4) Atlantic slope: Nicaragua 155–157, 160, 162, 165, 180
(5) Atlantic slope: Costa Rica and northwestern Panama 155–157, 160, 162–163, 165, 180
(6) Pacific slope: southwestern Costa Rica and southwestern Panama 155–157, 160, 162–163, 165
(7) central and eastern Panama 155–157, 160, 163, 165
(8) Colombia 155–157, 160–161, 163, 165
colour origins 177, 179
discussion 175
- populations
differentiation in Trinidadian guppies 219–232 & Tabs 1–2 & Figs 2–3
floral reduction in *Crepis tectorum* 59 66 & Fig. 1 & Tab. 4
natural: seaweed flies 1–3, 8–10
- Populus*: Formicine slave-making ants
P. balsamifera (balsam poplar) 49
P. tremuloides (aspen) 49
- pore systems: heterochrony of the ostracod hingement 348, 350–351 & Fig. 4, 353–354 & Figs 7–8, 360
- Porifera
cladistic analyses of Animalia 390 Fig. 1, 392 Fig. 2, 394 Fig. 3, 396–397, 406–408 App. 1
'explosion scenario' 25 Fig. 4C
- Pound Quartzite: *Parvancorina* 20 Fig. 2
- Poyommatinae: macrolepidopteran larvae 276 App.
Plebejus argus 267 Fig. 7, 276 App.
- Praecambrium* (arthropod): Ediacaran genera 15–16
- prawns (*Macrobrachium crenulatum*): guppy predation 231
- Precambrian: Cambrian evolutionary explosion 13, 15, 17–20, 22–27 & Fig. 4, 29–30 & Fig. 5
PreCambrian-Cambrian interface 29
- *predation: evolutionary genetics of guppies 219, 221, 229–231
- predation
swallowtails (*Papilio polyxenes*) 86
wader's eggs 286
- prehatchlings: *Scaphiodontophis* 143–147 & Tab. 3
- Priapula: cladistic analyses of Animalia 388, 390 Fig. 1, 392 Fig. 2, 394 Fig. 3, 406–408 App. 1
- Priapulida: 'explosion scenario' 25 Fig. 4C
- *principal components analysis: parapatric distribution in *Chrysolina* 371, 375–377 & Tab. 2 & Fig. 3, 379 & Fig. 5, 381 & Fig. 7
- 'problematica': Cambrian evolutionary explosion 16, 25–26
- Prochaetodermatidae: Scutopoda (molluscan clade) 21 Fig. 3

- Prococcephagus* (synonym): Aphelinidae 36
 Procoelomata: Cambrian evolutionary explosion
 24–26 & Fig. 4B
Prospaltella (synonym): Aphelinidae 36
 protaspides (larvae): *Naraoia* 19–20 & Fig. 2
 Proterozoic slug-like animals 24 Fig. 4B
 protocysts: ploidy evolution 201
 Protornacozoa: cladistic analyses of Animalia 385,
 393–395 & Fig. 3, 403
Protosmia minutula flower-visiting female bees 237,
 246–247 & Fig. 22
 protostome phyla 24 Fig. 4B, 26, 30 Fig. 5
 *Protostomia: cladistic analyses of Animalia 385, 387,
 390 Fig. 1, 394 Fig. 3, 396–403
 Protozoa: ‘explosion scenario’ 25 Fig. 4C
Prunella laciniata (Lamiaceae): nototribic flowers 238
 Tab. 1
 Psaphidini: macrolepidopteran larvae 275 App.
Brachionycha sphinx 275 App.
 pseudoautotomy: coral snake mimics 130, 181–183,
 185, 187
 conclusions 189
 specialised 130, 181–182, 187, 189
 unspecialised 130, 181–182
 Pseudocoelomata: cladistic analyses of Animalia 401
Pseudoerycea (salamanders): urotomy 182
 Pterobranchia
 Cambrian evolutionary explosion 28
see also Cephalodiscus
 cladistic analyses of Animalia 387–388, 390 Fig. 1,
 392 Fig. 2, 394 Fig. 3, 396, 402, 406–408 App. 1
Pteroptrix (Aphelinidae): sex-related differences 36
Pterourus: macrolepidopteran larvae
P. eurymedon 266–267 & Fig. 7
P. glaucus 267 Fig. 7
P. multicaudatus 267 Fig. 7
P. troilus 267 Fig. 7
Pterourus-Asterocampa 267 Fig. 7
Ptilodon capucina: macrolepidopteran larvae 274 App.
Ptilophora plumigera: macrolepidopteran larvae 264 Fig.
 4
 pupal colour dimorphism: swallowtail butterflies 81–86
 & Tab. 1 & Figs 1–2
 Pycnogonida: ‘explosion scenario’ 25 Fig. 4C
 Pygaerinae: macrolepidopteran larvae 263, 274 App.
see also Clostera
 pygidial gland: formicine slave-making ants 55
 pyralid moths: gregariousness in macrolepidopteran
 larvae 256–257
 Pyrginae: macrolepidopteran larvae 276 App.
see also Epargyreus and Erynnis
- Qiongzhusian stage: basal Cambrian appearances 16
 Quaternary: heterochrony of the ostracod hingement
 367
Quercusia quercus: macrolepidopteran larvae 267 Fig. 7,
 276 App.
- radiation, adaptive: Cambrian evolutionary explosion
 13, 16, 22, 26–27, 29
Rana: population genetics
R. lessonae (Sweden) 77–78
R. temporaria (common frogs) 69, 72, 76–78 & Tab.
 5
- *range edges: *Bufo calamita* population genetics 69–70,
 77–78
 Ranunculaceae
Cimicifuga simplex: hosts of *Chrysolina angusticollis*
 complex 372–373
 pollen loads (Central European bees) 246 Fig. 22
 (RAN)
Raphanus correlations
R. raphanistrum 66
R. sativa: size: number tradeoff 66
 raspberry, wild red (*Rubus strigosus*): formicine slave-
 making ants 49
 ratios, sex: host relations in the Aphelinidae 35 41, 43
 Rawnsley Quartzite: Ediacaran assemblage 20
 Recent
 fauna: Cambrian evolutionary explosion 14–16
 heterochrony of the ostracod hingement 357
 Redlichid province: trilobites 18 Fig. 1
 redlichids 18 Fig. 1
 regression analyses
 biogeography of Pacific milkweed butterflies
 319 323 & Tabs 2–4 & Fig. 1
 simple log-log 317, 319, 321–322 Tabs 2–3
 stepwise linear 317, 319–321, 323 Tab. 4
 genetic effects of competition 5, 7
 stepwise multiple: sexual size dimorphism in
 minnows 327–328, 331, 334 & Tab. 2
 *repellent defences: gregariousness in
 macrolepidopteran larvae 253–254, 257–258,
 260–266 & Figs 2–6 & Tab. 2, 268–270,
 273–276 App.
 reproductive biology: host relations in the Aphelinidae
 36 38
 reptiles: environmental sex determination 82
 residents: fiddler crabs fighting 293–300 & Figs 1–3 &
 Tabs 1–2, 302–304
 *resource holding potential (RHP): fighting in fiddler
 crabs (*Uca annulipes*) 293–294, 300
 results
 biogeography of Pacific milkweed butterflies
 319–321 & Tabs 1–2
Bufo calamita population genetics 73–76 & Tabs 2–5
 convergent evolution of morphological
 specializations 239–247 & Figs 1–22
 evolutionary genetics of guppies 224–227 & Tabs
 1–2 & Fig. 2
 fiddler crabs fighting 293, 296 301 & Figs 1–4 &
 Tabs 1 2
 floral reduction in *Crepis tectorum* 63–65 & Tabs 1–4
 formicine slave-making ants 51–52
 genetic effects of competition 5–8 & Figs 1–2 &
 Tab. 2
 gregariousness in macrolepidopteran larvae
 260 268, 273–276 App.
 parapatric distribution in *Chrysolina* 375–381 & Tabs
 1 3 & Figs 3 6
 ploidy evolution 205–209 & Figs 4–5 & Tab. 3
 pupation behaviour and pupal colour in swallowtails
 83 84 & Tab. 1 & Figs 1–2
 sexual size dimorphism in minnows 333–338 & Figs
 3 6
 sunbird territoriality and *Lobelia* 94–99 & fs 2 7 &
 Tabs 1–2
 wader mating systems 280 282 & Tabs 1–2

- zoogeography of *Suncus murinus* 311–313 & Tab. 2 & Fig. 2
- review, taxonomic: coral snake mimics 149–154
 see also American species and genus *Scaphiodontophis*
- Reynold's genetic distances: evolutionary change in guppies 219, 223, 225–226 & Tab. 2 & Fig. 2, 231
- Rhabdopleura*: hemichordate 23, 28
- Rhadinaea*: New World colubrid snakes 177, 181
- Rheumaptera*: macrolepidopteran larvae
 R. spp. 274 App.
 3 spp. 263 Fig. 3
- Rhinanthaceae, Scrophulariaceae (*Melampyrum*):
 nototribic flowers 242
- Rhinichthys*: sexual size dimorphism in minnows 332
 Fig. 2
 R. osculus 330–331 Tab. 1 & Fig. 1, 335–337 Figs 4–6
- Rhodophyta (red algae): ploidy evolution 200–201
- Rhyniella*: Devonian Rhynie Chert 27
- Richardsonius*: sexual size dimorphism in minnows 332
 Fig. 2
 R. balteatus 330–331 Tab. 1 & Fig. 1, 335–337 Figs 4–6
- Rivulinae: macrolepidopteran larvae 275 App.
Diptera coenitoba 275 App.
- Rivulus hartii* (Hart's rivulus): guppy predator 221
- rock outcrops: floral reduction in *Crepis tectorum* 59
- Roger's genetic distances: *Suncus murinus* 311, 313 Tab. 3 & Fig. 2
- **Rophites* (Halicidae, Rophitinae): convergent evolution of morphological specializations 235–237, 239
 R. algerius 237–240 & Tab. 1 & Figs 4–5, 242–245 & Fig. 20, 248
 R. hartmanni 239
 R. quinquespinosus 239
 R. species 235
- Rosa acicularis* (wild rose): formicine slave-making ants 49
- Rossomyrmex*: formicine slave-making ants 54–55
 R. proformicarium 54
- rostriconchs: conchiferan clade 20
- Rotifera
 cladistic analyses of Animalia 388, 390 Fig. 1, 392
 Fig. 2, 394–395 & Fig. 3, 401, 403, 406–408
 App. 1
 'explosion scenario' 25 Fig. 4C
- rRNA sequences: Cambrian evolutionary explosion 23, 25
- Rubiaceae: pollen loads (Central European bees) 246
 Fig. 22 (RUB)
- Rubus strigosus* (wild red raspberry): formicine slave-making ants 49
- Sabellida: cladistic analyses of Animalia 387
- Salamandridae: urotomy 182
- Salvia*: (Lamiaceae): nototribic flowers
 S. officinalis 238 Tab. 1
 S. pratensis 247
- sampling
Bufo calamita population genetics 71–72 & Fig. 1 & Tab. 1
 guppies (*Poecilia reticulata*) 222–223 & Fig. 1
 zoogeography of *Suncus murinus* 309–310 & Fig. 1
- sanderling (*Calidris alba*): mating system 283
- sandpipers: mating systems 277, 279–280 & Tab. 1, 285–286
 curlews (*Calidris ferruginea*) 284–285
 sandpipers and plovers 277–282 & Tabs 2–3, 285
 Tab. 6
 spoon-billed sandpipers (*Euryorhynchus pygmaeus*) 285
 see also Scolopacidae
- Sarothripinae: macrolepidopteran larvae 266
 see also *Nycteola* 266
- Saturniidae: macrolepidopteran larvae 257, 260–262
 & Fig. 2 & Tab. 1
 see also Citheroninae, Hemileucinae and Saturniinae
- Saturniinae: macrolepidopteran larvae 273 App.
 see also Attacini and Saturniini
- Saturniini: macrolepidopteran larvae 273 App.
 see also *Pavonia*
- Satyrium*: macrolepidopteran larvae: 7 spp. 267 Fig. 7
- scale insects (Coccoidea): host relations in the Aphelinidae 35–37
- Scaphiodontophis* (Serpentes: Colubridae): snake coloration, urotomy and mimicry 129–135, 137–145 & Figs 1–7, 149–155, 158
 colour origins 176–180 & Figs 12–15
 discussion 165, 167–175 & Figs 9–11
 ecology 180–188 & Fig. 16, 189
S. albonuchalis 151 152, 154, 158
S. albonuchalis-cyclurus-nothus body patterns 152
S. annulatus 129–132, 151–154, 162, 167, 171–172, 184, App: 192 194 & Figs 18–20
S. annulatus carpicinctus 153
S. annulatus venustissimus 153
S. carpicinctus 151–154
S. cyclurus 151–152, 154, 158
S. dugandi 132, 147, 151–154, 166–167, 174
S. hondurensis 151, 154
S. nothus 151–154, 158, 167, 174
S. sumichrasti 153
S. venustissimus 131–132, 151, 153 154, 166–167, 171 172, 174
S. zetekei 132, 151–154, 163, 166–167, 174–175
S. z. nothus 152
S. z. zetekei 152
 see also adults, hatchlings, prehatchlings, juveniles and subadults; characters, definition, discussion, genus and taxonomic review
- Scaphopoda: conchiferan clade 20–21 & Fig. 3
- SCC clade: ploidy evolution 212 Tab. 5
 see also *Chaetomorpha*, *Cladophora*, *Ernodesmis* and *Struvea*
- Schizocythere*: heterochrony of the ostracod hingement 347–350 & Fig. 3, 352 353 & Fig. 7
S. kishinouyei 347–352 & Figs 2–5, 354 Fig. 8
S. okhotskensis 350 Fig. 4
 S. spp. 350–351 & Fig. 4
- Schizocytheridae: heterochrony of the ostracod hingement 347–348
 Schizocytherinae 348
- Schizoramia: Cambrian evolutionary explosion 24 Fig. 4B
- Schizura*: macrolepidopteran larvae
 2 spp. 264 Fig. 4
S. concinna 263–264 & Fig. 4, 274 App.
S. ipomoeae 264 Fig. 4
- Scolopacidae (sandpipers): mating systems 278, 286

- scorpions: Cambrian evolutionary explosion 27
- Scotland: wader mating systems 281 Tab. 2
- *Scrophulariaceae: convergent evolution of
morphological specializations 235, 238 Tab. 1,
242–244 & Fig. 20 (SCR), 246 Fig. 22, 248, 250
see also *Antirrhinum*, *Digitalis*, *Linaria* and *Misopates*
- *scutellation: snake coloration, urotomy and mimicry
129–130, 136–137 & Tabs 1–2, 156–157, 165
- Scutopoda: molluscan clade 21 Fig. 3
- seaweed flies: genetic effects of competition 1–11 &
Figs 1–2 & Tabs 1–2
- seaweeds: *Fucus serratus* and *F. vesiculosus* 3–4
see also *Coelopa frigida* and *C. pilipes*
- Selasphorus flammula* (hummingbirds): use of *Tropaeolum*
nectar 90
- *selfing: ploidy evolution 197, 200–201, 203–204 &
Fig. 2, 206–208 & Fig. 4 & Tab. 3, 212–213
- Semicytherura*: heterochrony of the ostracod hingement
S. cf. henryhowei 348 Fig. 2, 351 Fig. 5, 354, 356,
362 Fig. 14
S. miurensis 348 Fig. 2, 351 Fig. 5, 354, 361 Fig. 13
- Semiothisini: macrolepidopteran larvae 273 App.
Semiothisa spp. 273 App.
- Semotilus*: sexual size dimorphism in minnows 332 Fig.
2, 339
S. corporalis 330–331 Tab. 1 & Fig. 1, 335–337 Figs
4–6, 339
- Senecio cannabifolius*: hosts of *Chrysolina angusticollis*
complex 372 373
- *sequential assessment game: fighting in fiddler crabs
(*Uca annulipes*) 293–294, 302 305
- Serpentes: Colubridae (*Scaphiodontophis*) 129
- sex ratios: host relations in the Aphelinidae 35–41, 43
- sexual size dimorphism (sexual size dimorphism):
North American minnows 327 341 & Figs 1–6 &
Tabs 1–2
- *shorebirds: wader mating systems 277–278
- shrews: zoogeography
Asian house (*Suncus murinus*) 307 316 & Figs 1–2 &
Tabs 1–3
see also *Neomys* and *Sorex*
- shrub-feeding macrolepidopteran larvae 256
- Siberia: wader mating systems 280–282 Tabs 1–2, 285
Tab. 6
- Sibon*: American colubrid snakes 135
- Sibynophiinae (subfamily: Colubridae) 134, 149–150
- Sibynophis* (snakes) 131, 133–134, 149–151, 176–177
S. annulatus 131, 150
S. annulatus hondurensis 150, 152
S. geminatus 149
S. sunichrasti: synonym of *S. collaris* 131
S. venutissimus 131, 150
S. zeteki 150–151
- sign tests
gregariousness in macrolepidopteran larvae 256,
259, 262 Tab. 2, 268
wader mating systems 279–280
- Silene latifolia*: size: number tradeoff 66
- Simophis* (colubrid snakes): colour origins 176
- Siphonopoda (=Cephalopoda): conchiferan clade
20–21 & Fig. 3
- Siphonotretida: Lingulatea (Brachiopoda) 21 Fig. 3
- Sipuncula
cladistic analyses of Animalia 390 Fig. 1, 392 Fig. 2,
394–395 & Fig. 3, 397, 399–400, 403, 406–408
App. 1
'explosion scenario' 25 Fig. 4C
- Sirius Passet faunas: Greenland (Konsevat-
Lagerstätten) 15
- site preferences: pupation behaviour and pupal colour
in swallowtails 81–86 & Tab. 1
- Sitta nuthatches*: genetic effects of competition 2
- size, floral: reduction in *Crepis tectorum* 59–66 & Tabs
1 3
- skinks, leaf-litter (*Sphenomorphus cherrei*): Costa Rica 180
- *slave-making: formicine ants 47–57 & Fig. 2
faultative 47–49, 52, 54
obligate 47–49, 52, 54, 56–57
- slaves: formicine ants 47–57 & Figs 1–2 & Tab. 1
- Smerinthus*: macrolepidopteran larvae: 3 spp. 261 Fig. 2
- snails (*Enteroxenos*): cladistic analysis 403
- snakes
coral (venomous): Elapidae 129 131, 133
mimics 129–194 & Figs 1–20 & Tabs 1 7 & App.
sexual size dimorphism (sexual size dimorphism)
328
- snout region: coral snake mimics 141, 147, 154, 163,
175
snout-vent lengths 144, 147, 155–156 & Tab. 4,
173, 183–185 & Figs 16–17
- soil: formicine slave-making ants 49, 52
luvsol 49
- Solenogastres: molluscan cladogram 21 Fig. 3
- Solidago* sp. (goldenrod): formicine slave-making ants 49
- Solomon Islands: biogeography of Pacific milkweed
butterflies
East 317–318, 320 324 & Tabs 1–4
West 317–318, 320–323 & Tabs 1–4
- Sonora*: coral snake mimics 186
- Sorex* (shrews): zoogeography 314
- Soricidae: *Suncus murinus* (Asian house shrews) 307 316
& Figs 1–2 & Tabs 1–3
- sources (S): evolutionary genetics of guppies 219, 222
& Fig. 1, 224–230 & Tabs 1 2 & Figs 2–3
- South Africa: Durban Harbour: fiddler crabs fighting
295
- South America: snake coloration, urotomy and
mimicry 180, 186–187
see also Brazil and Colombia
- Southwestern Costa Rica and adjacent western
Panama (CR/PAN) 165–167, 170–172, 175, 186,
188
- Spearman rank correlation: sunbird territoriality and
Lobelia 98–99
- specializations, morphological: convergent evolution in
Central European bees and honey wasps
235–252 & Figs 1–20 & Tab. 1
- species
American coral snake mimics 130, 149 154, 167,
171–174
herb-feeding macrolepidopteran larvae 269
sexual size dimorphism in minnows 327–340 &
Tab. 1 & Figs 2–6
type: *Enicognathus annulatus* (definition of genus
Scaphiodontophis) 134
- sperm competition: sexual size dimorphism in
minnows 327–329, 332–333, 335 & Fig. 4,
337–340
- Sphenomorphus cherrei* (leaf-litter skink): Costa Rica 180

- Sphingicampa bicolor*: macrolepidopteran larvae 261 Fig. 2, 273 App.
- Sphingidae: macrolepidopteran larvae 257, 260–262 & Fig. 1 & Tabs 1–2, 273 App.
- Sphinginae 273 App.
see also *Ceratomia* and *Lapara*
- Sphinx*: macrolepidopteran larvae: 7 spp. 261 Fig. 2
- Spilosoma virginica*: macrolepidopteran larvae 265 Fig. 5, 274 App.
- *Spiralia: cladistic analyses of Animalia 385, 389, 390 Fig. 1, 393–397 & Fig. 3, 399 401, 403
- Spirigina* (annelid): Ediacaran genera 15–16
- spruce, white (*Picea glauca*): formicine slave-making ants 49
- Stachys* (Lamiaceae): nototribic flowers
S. cretica 238 Tab. 1
S. recta 238 Tab. 1, 244–247 & Fig. 21, 248, 250
- statistical techniques
biogeography of Pacific milkweed butterflies 319, 322, 324
gregariousness in macrolepidopteran larvae 255
see also analyses and tests
- Stauropini: macrolepidopteran larvae 274 App.
see also *Nerice*, *Oligocentria* and *Stauropus*
- Stauropus*: macrolepidopteran larvae 263
S. fagi 264 Fig. 4, 274 App.
- sternorrhynchous Homoptera: host relations in the Aphelinidae 36
- sternotribic flowers: convergent evolution of morphological specializations 244
- Sterrofustia: Pachyegmentaria (Adenopoda: molluscan clade) 21 Fig. 3
- sticklebacks (*Gasterosteus aculeatus*): antipredation 229–230
- stigmata (nototribic flowers): convergent evolution 237, 244–246
- stints: mating systems
little (*Calidris mimuta*) 283 285
red-necked (*C. ruficollis*) 285
Temminck's (*C. temminckii*) 283–285
- stochastic processes: evolutionary genetics of guppies 230 232
- stock 'B + D': seaweed flies 3–4 & Tab. 1
- Stomatochroon*: Trentepohliales clade 211 Fig. 6
- stripes (bands, dots, spots and streaks): coral snake mimics 131
analysis of variation 160–164 & Tab. 7
characters 139, 141, 143–145 & Figs 6–7, 147–148
discussion 166–167, 169, 171, 174
origins of colour pattern components 176–177, 179 180
taxonomic review 154
- Struvea anastomosans*: SCC clade 212 Tab. 5
- Strymonini: macrolepidopteran larvae 276 App.
see also *Enora* and *Incisalia*
- study areas
formicine slave-making ants 49
sunbird territoriality and *Lobelia* 92
- subadults: *Scaphiodontophis* 145, 155–156 & Tab. 4
- subcaudals: coral snake mimics 136 & Tab. 1, 143–144 & Fig. 6, 148, 163–164 & Tab. 7
behavioural ecology 183–184 & Fig. 16
discussion 165–167, 172 174
scutellation 136 & Tab. 1
ventral and subcaudal coloration 143–144 & Fig. 6
- subgenera: sexual size dimorphism in minnows 327, 332
- subspecies: *Scaphiodontophis annulatus* 154, 167, 174–175
- Sumatra: zoogeography of *Suncus murinus* 308–309 & Fig. 1 & Tab. 1, 312–313 Tabs 2–3 & Fig. 2
- summaries
the explosive scenario 16–17
results: gregariousness in macrolepidopteran larvae 268
Scaphiodontophis snake coloration 178–179 & Fig. 15
geographic variation 165–167
- *sunbirds: territoriality and *Lobelia* 89–95 & Fig. 3, 97–104 & Figs 7–8 & Tabs 1–4
golden-winged (*Nectarinia reichenowi*) 92
scarlet-tufted malachite (*N. johnstoni*) 89–91, 93–94, 102–104
- Suncus* (shrews): zoogeography
S. dayi 311
S. dayi (outgroup) 307, 313–314 & Tab. 3 & Fig. 2
S. montanus 307, 311 315 & Fig. 2
S. murinus (Asian house) 307–316 & Figs 1–2 & Tabs 1–3
S. murinus caeruleus 314
S. murinus nemorivagus 315
- sunfish: male/female sizes 339
- superoxide dismutase (SOD: EC 1.15.1.1)
Bufo calamita population genetics 74
Poecilia reticulata (guppies): SOD* 224–228 & Tab. 1
Suncus murinus: SOD-1, -2 and -3: 311–312 & Tab. 2
- survival: genetic effects of competition 3–10 & Fig. 1
- Sussex: *Rana temporaria* (common frogs) 72
- swallowtails (*Papilio*): pupation behaviour and pupal colour, *P. polyxenes* 81–85 & Tab. 1 & Figs 1–2
- Sweden
Crepis tectorum outcrop 61–62 & Fig. 1
Rana lessonae 77–78
- Switzerland
convergent evolution of morphological specializations 237–238 & Tab. 1
formicine slave-making ants 56
- Symmerista*: macrolepidopteran larvae 264
S. spp. 274 App.
2 spp. 264 Fig. 4
- sympatry: distribution of *Chrysolina* 371
- synonyms
Scaphiodontophis 129, 132, 154
Sibynopsis 131
- SYSTAT for Windows: fiddler crabs fighting 296
- systematics: coral snake mimics 130, 143, 167, 171–175 & Fig. 11
- t-tests: floral reduction in *Crepis tectorum* 62–66 & Tab. 1
- tails: coral snake mimics
behavioural ecology 181–185 & Tab. 8 & Fig. 17, 188
body and tail coloration 157–163 & Tab. 6
colour pattern formulae 148
dorsal and tail coloration 137–141 & Figs 1–4
size and relative lengths 155–156 & Tab. 4
see also caudals and subcaudals
- Tantilla*: American colubrid snakes 135, 186
- Tardigrada
cladistic analyses of Animalia 390 Fig. 1, 392 Fig. 2, 394 Fig. 3, 397, 400, 403, 406–408 App. 1

- 'explosion scenario' 25 Fig. 4C, 27
- taxonomy
- Chrysolina angusticollis* complex 372–373
- cladistic analyses of Animalia 385, 390 Fig. 1, 392–393 & Fig. 2, 395–396, 398, 403, 406–408 App. 1
- coral snake mimics 149–154
- discussion of nominal taxa 165–175 & Figs 9–11
- gregariousness in macrolepidopteran larvae 257–258, 269, 273–276 App.
- heterochrony of the ostracod hingement 343–344, 346–347, 351, 357, 360, 367–368
- host relations in the Aphelinidae 35
- Suncus* (shrews) 308, 314
- wader mating systems 279–280, 285
- teeth: coral snake mimics 130–131, 134–135, 150
- Teleki Valley, Mount Kenya: sunbird territoriality and *Lobelia* 92–94
- teleosts: guppies (*Poecilia reticulata*) 220
- Teloblastica: cladistic analyses of Animalia 389, 390–391 & Fig. 1, 394 Fig. 3, 396, 400, 403
- *tension zones: parapatric distribution in *Chrysolina* 371–372, 382
- Tentaculata: cladistic analyses of Animalia 388
- Terebellidae: cladistic analyses of Animalia 399
- *territoriality: sunbirds and *Lobelia* 89–93, 97–100 & Figs 7–8 & Tabs 1–2, 102–104
- Testaria: Adenopoda: molluscan clade 21 Fig. 3
- tests
- sexual size dimorphism in minnows correlated changes 327, 332–333, 338–339
- see also Fisher, Hardy Weinberg, Kruskal-Wallis, Mann-Whitney, Nei, sign, Tukey and two-tailed tests
- tetrads: patterns of coral snake mimics 137–138 & Fig. 1, 140, 148, 151, 157
- analysis of variation 159–160 & Tab. 6
- discussion 166, 170, 174
- origins of colour pattern components 177–179 & Fig. 14
- Teucrium* (Lamiaceae): nototribic flowers
- T. montanum* 238 Tab. 1, 244, 246–247, 250
- T. scorodonium* 238 Tab. 1
- Thamnophis*: New World colubrid snakes 181–182
- Thecla betulae*: macrolepidopteran larvae 267 Fig. 7
- Theclinae: macrolepidopteran larvae 276 App.
- Quercus* *quercus* 267 Fig. 7, 276 App.
- thelytoky: host relations in the Aphelinidae 36, 40–41
- Thera*: macrolepidopteran larvae: 9 spp. 263 Fig. 3
- Thorius* (salamanders): urotomy 182
- thrips (*Elaphrothrips tuberculatus*): fighting 300
- Thymus* spec. (Lamiaceae): nototribic flowers 238 Tab. 1
- timing: Cambrian evolutionary explosion 14–15, 19–20, 23
- toads, natterjack (*Bufo calamita*): population genetics 69–78 & Fig. 1 & Tab. 1
- Tolyte*: phylogenies
- 3 spp. 261 Fig. 2
- Tolyte-Macrothylacia* 261 Fig. 2
- Tommotian fossils 16, 21–23
- trace fossils: Cambrian evolutionary explosion 16, 26–27
- see also Atdabanian and Yommotian
- Trachusa* (Megachilidae): *Ulanthidium* (subgenus) 249
- trade-offs: floral reduction in *Crepis tectorum* 59–62, 65–67
- *trade-offs: pupation behaviour and pupal colour in swallowtails 81–82, 85
- transferrin (*Tif*): *Suncus murinus* 311
- transformations
- colour pattern components: coral snake mimics 130, 175–180 & Figs 12–15
- see also arcsine transformations
- transplants (T): evolutionary genetics of guppies 219, 222 & Fig. 1, 224–230 & Tabs 1–2 & Fig. 2
- tree-living Macrolepidoptera: evolution of larval gregariousness 253, 255–256, 269–270
- trees
- Cambrian evolutionary explosion 24–26 & Fig. 4 (A–C, 29–30)
- cladistic analyses of Animalia 385–398 & Figs 1–3, 400–404
- Trentepohlia*: Trentepohliales clade 211 Fig. 6
- Trentepohliales clade: ploidy evolution 211 Fig. 6
- see also *Cephaleuros*, *Phycopeltis*, *Stomatochroon* and *Trentepohlia*
- triads: patterns of coral snake mimics 131, 137–138 & Fig. 1, 140, 148, 151
- analysis of variation 157, 159–160 & Tab. 6
- behavioural ecology 186–187
- discussion 166, 170, 174
- origins of colour pattern components 176–179 & Fig. 14
- Trichiura crataegi*: macrolepidopteran larvae 261 Fig. 2, 273 App.
- Trichoplax*: cladistic analyses of Animalia 396
- Trichoplusia ni*: moth eggs 42
- tricolours: patterns of coral snake mimics 137–141 & Figs 1 & 3–4, 160, 166–167, 175–176, 189
- patterns (TRs) I–VI 140–141 & Fig. 4
- Trilobita: Cambrian evolutionary explosion 13, 17–22 & Fig. 1, 24 Fig. 4A, 29
- trilobite clade 19–20, 29
- see also *Emuella*
- Trimerillida: Craniformia (Brachiopoda) 21 Fig. 3
- Tringa totanus*: wader mating systems 281 Tab. 2, 283–285 Tabs 4–6
- Trinidad: evolutionary genetics of guppies 219–234 & Figs 1–3 & Tabs 1–2
- see also Caroni and Oropuchi drainage areas, Pitch Lake, Aripo, Parra, Turure and Yarra rivers
- Triphosa*: macrolepidopteran larvae
- 2 spp. 263 Fig. 3
- T. dubitata* 274 App.
- trochaea theory: cladistic analyses of Animalia 398–399, 402
- Tropaeolum* species: nectar use by hummingbirds (*Selasphorus flammula*) 90
- Tryblidia = Monoplacophora: molluscan cladogram 21 Fig. 3
- Tryngites*: wader mating systems 284 Tab. 5
- T. subruficollis* 280–281 Tabs 1–2, 283–285 Tabs 4–6
- Tukey tests
- fiddler crabs fighting 299 & Tab. 2
- multiple comparison: formicine slave-making ants 51–52
- two-tailed tests: fiddler crabs fighting 296
- Uca* (crabs): fighting

- U. annulipes* (fiddler crabs) 293–305 & Figs 1–4 & Tabs 1–2
U. pugilator 302–304
U. pugnax 302–304
U. rapax 303
- Udotea*: Caulerpales clade 211 Fig. 6
Ulanthidium: subgenus of *Trachusa* (Megachilidae) 249
- Ulotrichales (Ulvophyceae: Chlorophyta): ploidy evolution 201
 see also *Acrosiphonia*, *Eugomontia* and *Monostroma*
- Ulva* clades
 Ulvales: *U. mutabilis* 212 Tab. 5
 Ulvales/Ulotrichales 211 Fig. 6
 Ulvales clade: Ulvophyceae 212 Tab. 5
 see also *Enteromorpha* and *Ulva*
 Ulvales/Ulotrichales clade: ploidy evolution 210–211 & Fig. 6
 see also *Enteromorpha*, *Monostroma* and *Ulva*
- *Ulvophyceae: ploidy evolution 197, 201, 210–212 & Fig. 6 & Tab. 5
 see also Caulerpales, Cladopharales, Dasycladales, Siphonoclares, Trentepohliales, Ulotrichales and Ulvales
- Uniramia
 Cambrian evolutionary explosion 24–25 Figs 4A & 4B & 4C
 Burgess Shale arthropod 19
 uniramian clade 27
 cladistic analyses of Animalia 396
- United States
 Indiana and Virginia: *Papilio polyxenes* (swallowtails) 82–83 & Tab. 1
 North Dakota: formicine slave-making ants 49, 51
 olive scale control 41
 Washington D.C.: Burgess Shale fossils 15
- Urochordata: cladistic analyses of Animalia 390 Fig. 1, 392 Fig. 2, 394 Fig. 3, 402, 406–408 App. 1
- Urotheca*: New World colubrid snakes 135, 177, 181–183, 186–189
U. dumerilii 177
U. elapoides 135, 177, 186
U. euryzona 177, 186, 188
U. myersi 177
- urotomy, mimicry and coloration (snakes) 129–130, 180–185 & Tab. 8 & Figs 16–17
- V** patterns: coral snake mimics 129–130, 142 & Fig. 5, 148, 151, 153–154
 analysis of variation 162–163
 behavioural ecology 186
 discussion 166, 169–170, 172–174
 origins of colour pattern components 180
- Vanellus vanellus*: wader mating systems 281 Tab. 2, 283 Tab. 4
- Vanuata: biogeography of Pacific milkweed butterflies 317–318, 320–323 & Tabs 1–4
- variations: coral snake mimics
 analysis 155–164 & Tabs 4–7
 colour pattern formulae 148–149
 discussion 165–175 & Figs 9–11
 origins of colour pattern components 179
- Vendian: Cambrian evolutionary explosion 15–17, 20, 22–23, 26–27, 29–30 & Fig. 5
 post-Vendian 16
 see also *Arkaria* and *Paleolina*
- Vendobionta: Ediacaran biota 15, 27, 30 Fig. 5
- *Vendozoa: Cambrian evolutionary explosion 13
- Vertebrata: cladistic analyses of Animalia 390 Fig. 1, 392 Fig. 2, 394 Fig. 3, 402, 406–408 App. 1
- Vespoidea: convergent evolution 236
 see also wasps, honey
- viability: ploidy evolution 202–203 & Tab. 1
- Virginia: *Papilio polyxenes* (swallowtails) 82–83 & Tab. 1
- Visceroconcha: Conchifera (molluscan clade) 21 Fig. 3
- *visual assessment: fighting in fiddler crabs (*Uca annulipes*) 293
- Vogel, Stephen. *Life in Moving Fluids. The Physical Biology of Flora*. 2nd Edition. (Book Review: A. A. Savage) 291
- Volvocales and Volvocaceae, Chlorophyta: ploidy evolution 201
 see also *Endorina* and *Pandorina*
- *waders: mating systems 277–287 & Tabs 1–6
- Wagner distance algorithms: *Suncus murinus* phylogenetic history 311, 313 Fig. 2
- Walter's classification: host relations in the Aphelinidae 36–37, 40–43
- *warning coloration: gregariousness in macrolepidopteran larvae 253–270 & Figs 1–7 & Tab. 1, 273–276 App.
- Washington D.C.: Burgess Shale fossils 15
- wasps
 Aphelinidae (Hymenoptera: Chalcidoidea) 35–43
 honey (Vespoidea, Masaridae): convergent evolution 235–236, 239, 245, 247–249
- whiteflies (Aleyrodidae): host relations in the Aphelinidae 35–37, 40–42
- Wilcoxon's signed rank: sunbird territoriality and *Lobelia* 95
- wing patterns: biogeography of Pacific milkweed butterflies 317–321, 324–325
- *worker numbers: formicine slave-making ants 47, 50–56 & Fig. 2 & Tab. 1
- worms; flat- (*Dickinsonia*): Ediacaran biota 16
- Wright's *F* statistic: evolutionary genetics of guppies 223, 225 & Tab. 2, 231
- Xanthia* spp.: macrolepidopteran larvae 275 App.
- xanthine dehydrogenase (*Xdh-1*, 2; E. C. No. 1.2.3.2): *Suncus murinus* 311
- Xenusion* (lobopod): Cambrian evolutionary explosion 18, 23
- Xylena* spp.: macrolepidopteran larvae 275 App.
- Xylenini: macrolepidopteran larvae 275 App.
 see also *Agnochoa*, *Aporophyla*, *Brachylomia*, *Drybotodes*, *Eupsilia*, *Lithophane*, *Xanthia* and *Xylena*
- Yarra river, Trinidad: guppies (*Poecilia reticulata*) 222 Fig. 1, 225–226 Tab. 2 & Fig. 2, 231
- Yezothyre*: heterochrony of the ostracod hingement *Y. hayashi* 348 Fig. 2, 351 ? Fig. 5, 356, 363 Fig. 15
- Y. ? saguipoensis* 348 Fig. 2, 351 ? Fig. 5, 356, 363 Fig. 15
- Z** patterns: coral snake mimics 129–130, 142 & Fig. 5, 146–148, 151–154, 161–163

- behavioural ecology 186
- discussion 166–172, 174–175
- origins of colour pattern components 180
- Z1** 143, 148–149, 161
- zoogeography: *Suncus murinus* (Asian house shrews)
307–316 & Figs 1–2 & Tabs 1–3
- Zygoneura: cladistic analyses of Animalia 398

